

10-10-00

A

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Large Entity)***(Only for new nonprovisional applications under 37 CFR 1.53(b))*Docket No.  
11379ATotal Pages in this Submission  
4**TO THE ASSISTANT COMMISSIONER FOR PATENTS**Box Patent Application  
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

**META SEARCH ENGINE**

and invented by:

**Stephen R. Lawrence and C. Lee Giles**JC860 U.S. PTO  
09/684947  
09/01/00If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☒ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Enclosed are:

**Application Elements**

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 62 pages and including the following:
  - a. ☒ Descriptive Title of the Invention
  - b. ☐ Cross References to Related Applications (if applicable)
  - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
  - d. ☐ Reference to Microfiche Appendix (if applicable)
  - e. ☒ Background of the Invention
  - f. ☒ Brief Summary of the Invention
  - g. ☒ Brief Description of the Drawings (if drawings filed)
  - h. ☒ Detailed Description
  - i. ☒ Claim(s) as Classified Below
  - j. ☒ Abstract of the Disclosure

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Large Entity)**

*(Only for new nonprovisional applications under 37 CFR 1.53(b))*

Docket No.  
11379A

Total Pages in this Submission  
4

**Application Elements (Continued)**

3. ☒ Drawing(s) *(when necessary as prescribed by 35 USC 113)*
- a. ☐ Formal Number of Sheets \_\_\_\_\_
- b. ☒ Informal Number of Sheets 34
4. ☒ Oath or Declaration
- a. ☐ Newly executed *(original or copy)* ☐ Unexecuted
- b. ☒ Copy from a prior application (37 CFR 1.63(d)) *(for continuation/divisional application only)*
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application,  
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference *(usable if Box 4b is checked)*  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied  
under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby  
incorporated by reference therein.
6. ☐ Computer Program in Microfiche *(Appendix)*
7. ☐ Nucleotide and/or Amino Acid Sequence Submission *(if applicable, all must be included)*
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy *(identical to computer copy)*
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

**Accompanying Application Parts**

8. ☐ Assignment Papers *(cover sheet & document(s))*
9. ☐ 37 CFR 3.73(B) Statement *(when there is an assignee)*
10. ☐ English Translation Document *(if applicable)*
11. ☒ Information Disclosure Statement/PTO-1449 ☐ Copies of IDS Citations
12. ☒ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail *(Specify Label No.):* EL680252231US

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Large Entity)**

*(Only for new nonprovisional applications under 37 CFR 1.53(b))*

Docket No.  
11379A

Total Pages in this Submission  
4

**Accompanying Application Parts (Continued)**

15. ☐ Certified Copy of Priority Document(s) *(if foreign priority is claimed)*

16. ☐ Additional Enclosures *(please identify below):*

**Request That Application Not Be Published Pursuant To 35 U.S.C. 122(b)(2)**

17. ☐ Pursuant to 35 U.S.C. 122(b)(2), Applicant hereby requests that this patent application not be published pursuant to 35 U.S.C. 122(b)(1). Applicant hereby certifies that the invention disclosed in this application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication of applications 18 months after filing of the application.

**Warning**

***An applicant who makes a request not to publish, but who subsequently files in a foreign country or under a multilateral international agreement specified in 35 U.S.C. 122(b)(2)(B)(i), must notify the Director of such filing not later than 45 days after the date of the filing of such foreign or international application. A failure of the applicant to provide such notice within the prescribed period shall result in the application being regarded as abandoned, unless it is shown to the satisfaction of the Director that the delay in submitting the notice was unintentional.***

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Large Entity)**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
**11379A**


Total Pages in this Submission  
**4**

**Fee Calculation and Transmittal**

**CLAIMS AS FILED**

| For  | #Filed | #Allowed | #Extra | Rate      | Fee      |
|--|--------|----------|--------|-----------|----------|
| Total Claims   | 1      | - 20 =   | 0      | x \$22.00 | \$0.00   |
| Indep. Claims  | 1      | - 3 =    | 0      | x \$82.00 | \$0.00   |
| Multiple Dependent Claims (check if applicable) <input type="checkbox"/> |        |          |        |           | \$0.00   |
| BASIC FEE  |        |          |        |           | \$710.00 |
| OTHER FEE (specify purpose)  |        |          |        |           |          |
| TOTAL FILING FEE   |        |          |        |           | \$710.00 |

- ☒ A check in the amount of \_\_\_\_\_ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **19-1013/SSMP** as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of \_\_\_\_\_ as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).




Signature

**Paul J. Esatto, Jr.**  
**Registration No.: 30, 749**

**SCULLY, SCOTT, MURPHY & PRESSER**  
**400 Garden City Plaza**  
**Garden City, New York 11530**  
**(516) 742-4343**

Dated: **October 6, 2000**

cc:

|  |                         |                        |                              |
|--|-------------------------|------------------------|------------------------------|
| <b>CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)</b>  |                         |                        | Docket No.                   |
| Applicant(s): Stephen R. Lawrence, et al.  |                         |                        | 131379A                      |
| Serial No.<br>unassigned   | Filing Date<br>herewith | Examiner<br>unassigned | Group Art Unit<br>unassigned |
| Invention: META SEARCH ENGINE  |                         |                        |                              |
| I hereby certify that the following correspondence:  |                         |                        |                              |
| <div>New Divisional Patent Application</div> <p>(Identify type of correspondence)</p>  |                         |                        |                              |
| is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 |                         |                        |                              |
| <div>October 6, 2000</div> <p>(Date)</p>   |                         |                        |                              |
| <div>Mishelle Mustafa</div> <p>(Typed or Printed Name of Person Mailing Correspondence)</p>  |                         |                        |                              |
| <div></div> <p>(Signature of Person Mailing Correspondence)</p>   |                         |                        |                              |
| <div>EL680252231US</div> <p>("Express Mail" Mailing Label Number)</p>  |                         |                        |                              |
| Note: Each paper must have its own certificate of mailing.   |                         |                        |                              |

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**Applicants:** Stephen R. Lawrence, et al. **Examiner:** unassigned

**Serial No.:** unassigned

**Art Unit:**

**Filed:** herewith

**Docket:** 11379A

**For:** META SEARCH ENGINE

**Dated:** October 6, 2000

Assistant Commissioner for Patents  
Washington, D.C. 20231

**PRELIMINARY AMENDMENT**

Sir:

In connection with the above-identified patent application, kindly enter the following preliminary amendment.

**IN THE SPECIFICATION:**

Please amend the specification as follows:

After the TITLE please insert the following:

---

**CERTIFICATE OF MAILING BY EXPRESS MAIL**

Express Mail Mailing Label Number: EL680252231US

Date of Deposit: October 6, 2000

I hereby certify that this correspondence is being deposited with the United States Postal Service Express Mail Post Office to Addressee service under 37 C.F.R. §1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Dated: October 6, 2000

  
Mishelle Mustafa

G:\NEC\1196\11379A\AMEND\11379A.PRE.DOC

**--CROSS REFERENCE TO RELATED APPLICATION:**

The present application is a divisional of copending application Serial Number 09/113,751 filed on July 10, 1998.

**IN THE CLAIMS:**

Prior to examination, please cancel claims 1-73 and 75-78.

**REMARKS**

Applicants submit that the foregoing amendment to the specification was made to add a "Cross Reference to Related Applications" section. The present amendment does not introduce new matter into the application. Wherefore, early and favorable consideration of the present application, as amended herein, is respectfully requested.

Respectfully submitted,



Paul J. Esatto, Jr.  
Registration No. 30,749

SCULLY, SCOTT, MURPHY & PRESSER  
400 Garden City Plaza  
Garden City, New York 11530  
(516) 742-4343

PJE:ae

META SEARCH ENGINE

5

BACKGROUND OF THE INVENTION

This application is a conversion of copending provisional application 60/062,958, filed October 10, 1997.

10

A number of useful and popular search engines attempt to maintain full text indexes of the World Wide Web. For example, search engines are available from AltaVista, Excite, HotBot, Infoseek, Lycos and Northern Light. However, searching the Web can still be a slow and tedious process. Limitations of the search services have led to the introduction of meta search engines. A meta search engine searches the Web by making requests to multiple search engines such as AltaVista or Infoseek. The primary advantages of current meta search engines are the ability to combine the results of multiple search engines and the ability to provide a consistent user interface for searching these engines. Experimental results show that the major search engines index a relatively small amount of the Web and that combining the results of multiple engines can therefore return many documents that would otherwise not be found.

25

A number of meta search engines are currently available. Some of the most popular ones are MetaCrawler, Inference Find, SavvySearch, Fusion, ProFusion, Highway 61, Mamma, Quarterdeck WebCompass, Symantec Internet FastFind, and ForeFront WebSeeker.

30





new information is made available and the time that it is indexed.

#### SUMMARY OF THE INVENTION

5           An object of this invention is to improve meta search engines.

          Another object of the present invention is to provide a meta search engine that analyzes each document and displays local context around the query terms.

10           A further object of this invention is to provide a search method that improves on the efficiency of existing search methods.

          A further object of this invention is to provide a meta search engine that is capable of displaying the context of the query terms, advanced duplicate detection, progressive display of results, highlighting query terms in the pages when viewed, insertion of quick jump links for finding the query terms in large pages, dramatically improved precision for certain queries by using specific expressive forms, improved relevancy ranking, improved clustering, and image search.

20           These and other objectives are attained with a computer implemented meta search engine and search method. In accordance with this method, a query is forwarded to a number of third party search engines, and the responses from the third party search engines are parsed in order to extract information regarding the documents matching the query. The full text of the

documents matching the query are downloaded, and the query terms in the documents are located. The text surrounding the query terms are extracted, and that text is displayed.

5           The engine downloads the actual pages corresponding to the hits and searches them for the query terms. The engine then provides the context in which the query terms appear rather than a summary of the page (none of the available search engines or meta search  
10 services currently provide this option). This typically provides a much better indication of the relevance of a page than the summaries or abstracts used by other search engines, and it often helps to avoid looking at a page only to find that it does not contain the required information. The context can be particularly helpful whenever a search includes terms which may occur in a different context to that required. The amount of context is specified by the user in terms of the number of characters either side of the query terms. Most non-  
15 alphanumeric characters are filtered from the context in order to produce more readable and informative results.

20           Results are returned progressively after each individual page is downloaded and analyzed, rather than after all pages are downloaded. The first result is typically displayed faster than the average time for a  
25 search engine to respond. When multiple pages provide the information required, the architecture of the meta engine can be helpful because the fastest sites are the first ones to be analyzed and displayed.

When viewing the full pages corresponding to the hits, these pages are filtered to highlight the query terms and links are inserted at the top of the page which jump to the first occurrence of each query term. Links at each occurrence of the query terms jump to the next occurrence of the respective term. Query term highlighting helps to identify the query terms and page relevance quickly. The links help to find the query terms quickly in large documents.

Pages which are no longer available can be identified. These pages are listed at the end of the response. Some other meta search services also provide "dead link" detection, however the feature is usually turned off by default and no results are returned until all pages are checked. For the meta search engine of this invention however, the feature is intrinsic to the architecture of the engine which is able to produce results both incrementally and quickly.

Pages which no longer contain the search terms or that do not properly match the query can be identified. These pages are listed after pages which properly match the query. This can be very important - different engines use different relevance techniques, and if just one engine returns poor relevance results, this can lead to poor results from standard meta search techniques.

The tedious process of requesting additional hits can be avoided. The meta search engine understands how to extract the URL for requesting the next page of

hits from the individual search engine responses. More advanced detection of duplicate pages is done. Pages are considered duplicates if the relevant context strings are identical. This allows the detection of a duplicate if the page has a different header or footer.

U.S. Patent 5,659,732 (Kirsch) presents a technique for relevance ranking with meta search techniques wherein the underlying search engines are modified to return extra information such as the number of occurrences of each search term in the documents and the number of occurrences in the entire database. Such a technique is not required for the meta search engine of this invention because the actual pages are downloaded and analyzed. It is therefore possible to apply a uniform ranking measure to documents returned by different engines. Currently, the engine displays pages in descending order of the number of query terms present in the document (if none of the first few pages contain all of the query terms, then the engine initially displays results which contain the maximum number of query terms found in a page so far). After all pages have been downloaded, the engine then relists the pages according to a simple relevance measure.

This measure currently considers the number of query terms present in the document, the proximity between query terms, and term frequency (the usual inverse document frequency may also be useful (Salton, G. (1989), Automatic text processing: the transformation, analysis and retrieval of information by computer, Addison-Wesley.)

$$R = c_1 N_p + \left( c_2 - \frac{\sum_{i=1}^{N_p-1} \sum_{j=i+1}^{N_p} \min(d(i,j), c_2)}{\sum_{k=1}^{N_p-1} (N_p - k)} \right) / \frac{c_2}{c_1} + \frac{N_t}{c_3}$$

5

where  $N_p$  is the number of query terms that are present in the document (each term is counted only once),  $N_t$  is the total number of query terms in the document,  $d(i,j)$  is the minimum distance between the  $i$ th and the  $j$ th of the query terms which are present in the document (currently in terms of the number of characters),  $c_1$  is a constant which controls the overall magnitude of the relevance measure  $R$ ,  $c_2$  is a constant specifying the maximum distance between query terms which is considered useful, and  $c_3$  is a constant specifying the importance of term frequency (currently  $c_1 = 100$ ,  $c_2 = 5000$ , and  $c_3 = 10c_1$ ). This measure is used for pages containing more than one of the query terms; when only one query term is found the term's distance from the start of the page is used.

This ranking criterion is particularly useful with Web searches. A query for multiple terms on the Web often returns documents which contain all terms, but the terms are far apart in the document and may be in unrelated sections of the page, e.g. in separate Usenet messages archived on a single Web page, or in separate bookmarks on a page containing a list of bookmarks.

The engine does not use the lowest common denominator in terms of the search syntax. The engine

supports all common search formats, including boolean syntax. Queries are dynamically modified in order to match each individual query syntax. The engine is capable of tracking the results of queries, automatically informing users when new documents are found which match a given query. The engine is capable of tracking the text of a given page, automatically informing the user when the text changes and which lines have changed. The engine includes an advanced clustering technique which improves over the clustering done in existing search engines. A specific expressive forms search technique can dramatically improve precision for certain queries. A new query expansion technique can automatically perform intelligent query expansion.

Additional features which could easily be added to the meta search engine of this invention include: Improved relevance measures, Alternative ordering methods, e.g. by site, Field searching e.g. page title, Usenet message subject, hyperlink text, Rules and/or learning methods for routing queries to specific search engines, Word sense disambiguation, and Relevance feedback.

Further benefits and advantages of the invention will become apparent from a consideration of the following detailed description, given with reference to the accompanying drawings, which specify and show preferred embodiments of the invention.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the home page of the meta search engine of this invention.

Figure 2 shows the options page of the meta search engine of this invention.

5        Figures 3-8 show, respectively, first through sixth portions of a sample response of the meta search engine of the present invention for the query nec and "digital watermark."

10        Figure 9 shows a sample page view for the meta search engine of this invention.

Figure 10 is a simplified control flow chart of the meta search engine of the present invention.

Figure 11 is a simplified control flow chart for image meta search.

15        Figure 12 shows a first portion of a sample response of the meta search engine of this invention for the query koala in the image databases, filtered for photos.

20        Figure 13 shows a second portion of a sample response of the meta search engine of this invention for the query koala in the image databases, filtered for photos.

25        Figure 14 shows a sample response of the meta search engine of this invention for the query koala in the image databases, filtered for graphics.

Figure 15 shows clusters for the query "joydeep ghosh."

Figure 16 shows the first two cluster summaries for the query "joydeep ghosh."



Figure 17 shows the first part of the clusters for the query "joydeep ghosh" from HuskySearch.

Figure 18 shows the second part of the clusters for the query "joydeep ghosh" from HuskySearch.

5 Figure 19 shows clusters for the query "joydeep ghosh" from AltaVista.

Figure 20 shows clusters produced by the meta search engine of this invention for the query "neural network."

10 Figure 21 shows clusters produced by the meta search engine of this invention for the query typing and injury along with the first cluster summary.

Figure 22 shows the response of the meta search engine of the present invention for the query What does NASDAQ stand for?

Figure 23 shows the response of Infoseek for the query What does NASDAQ stand for?

Figure 24 shows the response of the meta search engine of this invention for the query How is a rainbow created?

Figure 25 shows the response of Infoseek for the query How is a rainbow created?

Figure 26 shows the response of the meta search engine of the present invention for the query What is a mealy machine?

Figure 27 shows a sample home page showing new hits for a query and recently modified URLs.

Figure 28 shows a sample page view showing the text which has been added to the page since the last time it was viewed.

Figure 29 shows the coverage of each of six search engines with respect to the combined coverage of all six.

Figure 30 shows the coverage as the number of search engines is increased.

Figure 31 shows a comparison of the overlap between search engines to the number of documents returned from all six engines combined.

Figure 32 shows the coverage of each search engine with respect to the estimated size of the indexable Web.

Figures 33 and 34 show histograms of the major search engine response times, and a histogram of the response time for the first response when queries are made to the six engines simultaneously.

Figure 35 shows the median time for the Web search engines to respond.

Figure 36 shows the median time for the first of n Web search engines to respond.

Figure 37 shows the response time for arbitrary Web pages.

Figure 38 shows the median time to download the first of n pages requested simultaneously.

Figure 39 shows the time for the meta engine to display the first result.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

One of the fundamental features of the meta search engine of this invention is that it analyzes each document and displays local context around the query

terms. The benefit of displaying the local context,  
rather than an abstract or summary of the document, is  
that the user may be able to more readily determine if  
the document answers his or her specific query. In  
5 essence, this technique admits that the computer may not  
be able to accurately determine the relevance of a  
particular document, and in lieu of this ability, formats  
the information in the best way for the user to quickly  
determine relevance. A user can therefore find documents  
10 of high relevance by quickly scanning the local context  
of the query terms. This technique is simple, but can be  
very effective, especially in the case of Web search  
where the database is very large, diverse, and poorly  
organized.

5 The idea of querying and collating results from  
multiple databases is not new. Companies like PLS,  
Lexis-Nexis, and Verity have long since created systems  
which integrate the results of multiple heterogeneous  
databases. Many other Web meta search services exist  
20 such as the popular and useful MetaCrawler service.  
Services similar to MetaCrawler include SavvySearch,  
Inference Find, Fusion, ProFusion, Highway 61, Mamma,  
Quarterdeck WebCompass, Metabot, Symantec Internet  
FastFind, and WebSeeker.

25 Figure 1 shows the home page of the meta search  
engine of this invention. The bar 12 at the top contains  
links for the options page, the help page, and the  
submission of suggestions and problems. Queries are  
entered into the "Find:" box 14. The selection of which  
30 search engines to use for the query is made by clicking

on the appropriate selection on the following line. The options are currently:

1. Web - standard Web search engines: (a) AltaVista, (b) Excite, (c) Infoseek, (d) HotBot, (e) Lycos, (f) Northern Light, (g) WebCrawler, and (h) Yahoo.

2. Usenet Databases - indexes of Usenet newsgroups: (a) AltaVista, (b) DejaNews, (c) Reference.com.

3. Press - indexes of press articles and news wires: (a) Infoseek NewsWire, Industry, and Premier sources - c/o Infoseek - Reuters, PR NewsWire etc., and (b) NewsTracker - c/o Excite - online newspapers and magazines.

4. Images - image indexes: (a) Corel - corel image database, (b) HotBot - HotBot images, (c) Lycos - Lycos images, (d) WebSeer - WebSeer images, (e) Yahoo - Yahoo images, and (f) AltaVista - AltaVista images.

5. Journals - academic journals: (a) Science.

6. Tech - technical news: (a) TechWeb and (b) ZDNet.

7. All - all of the above.

The constraints menu 16 follows which contains options for constraining the results to specific domains, specific page ages, and specific image types. The main options menu 20 follows which contains options for selecting the maximum number of results, the amount of context to display around the query terms (in characters), and whether or not to activate clustering or tracking.

The options link on the top bar allows setting a number of other options, as shown at 22 in figure 2. These options are: 1. The timeout (per individual page download), 2. Whether or not to filter the pages when viewed, 3. Whether or not to filter images from the pages when viewed, 4. Whether each search displays results in a new window or not, and 5. Whether or not to perform image classification (for manual classification of images). Additionally, the options page shows at 24 and 26 which queries and URLs are being tracked for changes, and allows entering a new URL to track.

Figures 3 to 8 show a sample response of the meta search engine of this invention for the query nec and "digital watermark". Figure 3 shows the top portion of the response from the search. The search form can be seen at the top, followed by a tip 30 which may be query sensitive. Results which contain all of the query terms are then displayed as they are retrieved and analyzed (as mentioned before, if none of the first few pages contain all of the query terms then the engine initially displays results which contain the maximum number of query terms found in a page so far). The bars 32 to the left of the document titles indicate how close the query terms are in the documents - longer bars indicate that the query terms are closer together. The engine which found the document, the age of the document, the size of the document, and the URL follow the document title.

After the pages have been retrieved, the engine then displays the top 20 pages ranked using term proximity information (figure 4). In descending order,

and referring to figures 5 to 8, the engine then displays those pages which contain fewer query terms, those pages which contain none of the query terms, those pages which contain duplicate context strings, and those pages which could not be downloaded. Links to the search engine pages which were used are then provided, followed by terms which may be useful for query expansion. With reference to figure 8, the engine then displays a summary box with information on the number of documents found from each individual engine, the number retrieved and processed, and the number of duplicates.

Figure 9 shows a sample of how the individual pages are processed when viewed. The links 40 at the top jump to the first occurrence of the query terms in the document, and indicate the number of occurrences. The [Track Page] link activates tracking for this page - the user will be informed when and how the document changes.

The engine comprises two main logical parts: the meta search code and a parallel page retrieval daemon. Pseudocode for (a simplified version of) the search code is as follows:

Process the request to check syntax and create..

..regular expressions which are used to match query..

..terms

Send requests (modified appropriately) to all..

..relevant search engines

Loop for each page retrieved until maximum number..

..of results or all pages retrieved

If page is from a search engine

```

    Parse search engine response extracting hits..
    ..and any link for the next set of results
    Send requests for all of the hits
    Send requests for the next set of results..
5    ..if applicable
Else
    Check page for query terms and create..
    ..context strings if found
    Print page information and context strings if all..
10    ..query terms are found and duplicate context..
    ..strings have not been encountered before
    Endif
End loop
Re-rank pages using proximity and term frequency..
15    ..information
Print page information and context strings for pages..
    ..which contained some but not all query terms
Print page information for pages which contained no..
    ..query terms
20    Print page information and context strings for pages..
    ..which contain duplicate context strings
Print page information for pages which could not be..
    ..downloaded
Print summary statistics.

```

25           Figure 10 shows a simplified control flow  
 diagram 50 of the meta search engine. The page retrieval  
 engine is relatively simple but does incorporate features  
 such as queuing requests and balancing the load from  
 30 multiple search processes, and delaying requests to the

same site to prevent overloading a site. The page retrieval engine comprises a dispatch daemon and a number of client retrieval processes. Pseudocode for (a simplified version of) the dispatch daemon is as follows:

```

5  Start clients
Loop
    Check for timeout of active clients
    Send any queued requests if possible, balancing..
        ..load for requests from multiple search..
10    ..processes
    If there is a message from a client
        If message is "replace me" replace the..
            ..client with a new process
        If message is "done" update client..
15        ..information
        If message is "status" return status
        If message is "get" then
            If all clients are busy or a request..
                ..has been made to this site..
                ..within the last x seconds then..
20                ..queue the request
            Otherwise send request to a client
            Endif
        Endif
25 End loop

```

The client processes simply retrieve the relevant pages, handling errors and timeouts, and return the pages directly to the appropriate search process.



The algorithm used for image meta search in the meta search engine of this invention is as follows:

Process the request to check syntax and create..

..regular expressions which are used to match..

5

..query terms

Send requests (modified appropriately) to all..

..relevant image search engines

Loop for each page retrieved until maximum number of..

..images or all pages retrieved

10

If page is from a search engine

Parse search engine response extracting..

..hits and any link for the next set..

..of results

Send requests for all of the hits

15

Send request for the next set of results..

..if applicable

Else if page is an image

Add image to the display queue

Else

20

Analyze query term locations in the page..

..and predict which (if any) of the..

..images on the page corresponds to..

..the query - send a request to..

..download this image

25

Endif

If n images are in the display queue

Create a single image montage of the..

..images in the queue

Display the montage as a clickable image..

30

..where each portion of the image..



## Document Clustering

Document clustering methods typically produce non-overlapping clusters. For example, Hierarchical Agglomerative Clustering (HAC) algorithms, which are the most commonly used algorithms for document clustering (Willet, P. (1988), "Recent trends in hierarchical document clustering: a critical review", Information Processing and Management 24, 577-597), start with each document in a cluster and iteratively merge clusters until a halting criterion is met. HAC algorithms employ similarity functions (between documents and between sets of documents).

A document clustering algorithm is disclosed herein which is based on the identification of co-occurring phrases and conjunctions of phrases. The algorithm is fundamentally different to commonly used methods in that the clusters may be overlapping, and are intended to identify common items or themes.

The World Wide Web (the Web) is large, contains a lot of redundancy, and a relatively low signal to noise ratio. These factors make finding information on the Web difficult. The clustering algorithm presented here is designed as an aid to information discovery, i.e. out of the many hits returned for a given query, what topics are covered? This allows a user to refine their query in order to investigate one of the subtopics.

The clustering algorithm is as follows:  
Retrieve pages corresponding to the query  
For each page

For n = 1 to MaximumPhraseLength

```

        For each set of successive n words
            If this combination of words has not..
                ..already appeared in this..
                ..document then add the set to a..
                ..hash table for this document..
                ..and a hash table for all..
                ..documents
            End for
        End for
    End for
10  For n = MaximumPhraseLength to 1
        Find the most common phrases of length n, to a..
        ..maximum of MaxN phrases, which occurred..
        ..more than MinN times
        Add these phrases to the set of clusters
15  End for
        Find the most common combinations of two clusters..
        ..from the previous step, to a maximum of MaxC..
        ..combinations, for which the combination..
        ..occurred in individual documents at least..
20  ..MinC times
        Delete clusters which are identified by phrases..
        ..which are subsets of a phrase identifying..
        ..another cluster
25  Merge clusters which contain identical documents
        Display each cluster along with context from a set..
        ..of pages for both the query terms..
        ..and the cluster terms.

```

Figure 15 shows the clusters 70 produced by this algorithm for the query "joydeep ghosh", and figure 16 shows the first two cluster summaries 72 and 74 for these clusters. Figures 17 and 18 show the clusters 76 and 80 produced by HuskySearch for the same query. Figure 19 shows the clusters 82 produced by AltaVista. Figures 20 and 21 show the clusters 84 and 86 produced by the meta search engine of this invention for another two queries: "neural network" and typing and injury.

### Query Expansion

One method of performing query expansion is to augment the query with morphological variants of query terms. Word stemming (Porter, M.F. (1980), "an algorithm for suffix stripping", Program 14, 130-137.) can be used in order to treat morphological variants of a word as identical words. Web search engines typically do not perform word stemming, despite the fact that it would reduce the resources required to index the Web. One reason for the lack of word stemming by Web search engines is that stemming can reduce precision. Stemming considers all morphological variants. Query expansion using all morphological variants often results in reduced precision for Web search because the morphological variants often refer to a different concept. Reduced precision using word stemming is typically more problematic on the Web as compared to traditional information retrieval test collections, because the Web database is larger and more diverse. A query expansion

algorithm is disclosed herein which is based on the use  
of only a subset of morphological variants.  
Specifically, the algorithm uses the subset of  
morphological variants which occur on a certain  
percentage of the Web pages matching the original query.  
Currently, the query terms are stemmed with the Porter  
stemmer (Porter, M.F. (1980), "An algorithm for suffix  
stripping", Program 14, 130-137.) and the retrieved pages  
can be searched for morphological variants of the query  
terms. Variants which occur on greater than 1% of the  
pages are displayed to the user for possible inclusion in  
a subsequent query. No quantitative evaluation of this  
technique has been performed, however observation  
indicates that useful terms are suggested. As an  
example, for the query nec and "digital watermark", the  
following terms are suggested for query expansion:  
digitally, watermarking, watermarks, watermarked.

Currently the technique does not automatically  
expand a query when first entered, because the query  
expansion terms are not known until the query is  
complete. However the technique can be made automatic by  
maintaining a database of expansion terms for each query  
term. The first query containing a term can add the co-  
occurring morphological variants to the database, and  
subsequent queries can use these terms, and update the  
database if required.

#### Specific Expressive Forms

Accurate information retrieval is difficult due  
to the possibility of information represented in many

ways - requiring an optimal retrieval system to  
incorporate semantics and understand natural language.  
Research in information retrieval often considers  
techniques aimed at improving recall, e.g. word stemming  
and query expansion. As mentioned earlier, it is  
possible for these techniques to decrease precision,  
especially in a database as diverse as the Web.

The World Wide Web contains a lot of  
redundancy. Information is often contained multiple  
times and expressed in different forms across the Web.  
In the limit where all information is expressed in all  
possible ways, high precision information retrieval would  
be simple and would not require semantic knowledge - one  
would only need to search for one particular way of  
expressing the information. While such a goal will never  
be reached for all information, experiments indicate that  
the Web is already sufficient for an approach based on  
this idea to be effective for certain retrieval tasks.

The method of this invention is to transform  
queries in the form of a question, into specific forms  
for expressing the answer. For example, the query "What  
does NASDAQ stand for?" is transformed into the query  
"NASDAQ stands for" "NASDAQ is an abbreviation" "NASDAQ  
means". Clearly the information may be contained in a  
different form to these three possibilities, however if  
the information does exist in one of these forms, then  
there is a high likelihood that finding these phrases  
will provide the answer to the query. The technique thus  
trades recall for precision. The meta search engine of  
this invention currently uses the specific expressive

forms (SEF) technique for the following queries (square brackets indicate alternatives and parentheses indicate optional terms or alternatives):

- What [is|are] x?
- What [causes|creates|produces] x?
- What do you think [about|of|regarding] x?
- What does x [stand for|mean]?
- Where is x?
- Who is x?
- -[Why|how] [is|are] (a|the) x y?
- Why do x?
- When is x?
- When do x?
- How [do|can] i x?
- How (can) [a|the] x y?
- How does [a|the] x y?

As an example of the transformations, "What does x [stand for|mean]?" is converted to "x stands for" "x is an abbreviation" "x means", and "What [causes|creates|produces] x?" is transformed to "x is caused" "x is created" "causes x" "produces x" "makes x" "creates x"

Different search engines use different stop words and relevance measures, and this tends to result in some engines returning many pages not containing the SEFs. The offending phrases are therefore filtered out from the queries for the relevant engines.

Figure 22 shows at 90 the response of the meta search engine of this invention for the query "What does NASDAQ stand for?" The answer to the query is contained



in the local context displayed for about 5 out of the first 6 pages. Figure 23 shows at 92 the response of Infoseek to the same query. The answer to the query is not displayed in the page summaries, and which, if any, of the pages contains the answer is not clear. Figures 24 and 25 show, at 94 and 96, the meta search engine of this invention and Infoseek responses to the query "How is a rainbow created?" Again, the answer is contained in the local context shown by the meta search engine of this invention but it is not clear which, if any, of the pages listed by Infoseek contain the answer to the question. Figure 26 shows at 100 a third example of the response from the meta search engine of the invention for the query "What is a mealy machine?"

It is reasonable to expect that the amount of easily accessible information will increase over time, and therefore that the viability of the specific expressive forms technique will improve over time. An extension of the above-discussed procedures is to define an order over the various SEFs, e.g. "x stands for" may be more likely to find the answer to "What does x stand for" than the phrase "x means". If none of the SEFs are found then the engine could fall back to a standard query.

Search tips may be provided by the meta engine. These tips may include, for example, the following:

- Use quotes for phrases, e.g. "nec research".
- You can hide the various options above to save screen space by clicking on the "hide" links.

• Window option: clicking on a hit brings up the page in the same window for multiple searches or a new window for each new search.

• Filter option: filters pages when viewed to highlight query terms. Faster due to local caching of the page.

• The letter(s) after the page titles identify the search engine which provided the result (e.g. A==AltaVista).

• The second field after the page titles is the time since the page was last updated (e.g. 5m=5 months, 1y=1 year).

• The third field after the page titles is the size of the page.

• The context option selects the number of characters to display either side of the query terms.

• The timeout option is the maximum time to download each individual page.

• Searching in "Press" is useful for higher precision with current news topics.

• Image option: remove images from the pages when viewed (for faster viewing).

• When viewing a filtered page, clicking on a query term jumps to the next occurrence of that term. Clicking on the last occurrence of a term jumps back to the first occurrence.

• You can use "-term" to exclude a term.

• You can search for links to a specific page, e.g. link:www.neci.nj.nec.com/homepages/giles. Self links are excluded.



Services such as the Informant (The Informant, 1997) track the response of Web search engines to queries, and inform users when new documents are found. The meta search engine of this invention supports this function. Tracking is initiated for a query by selecting the Track option when performing the query. A daemon then repeats the query periodically, storing new documents along with the time they were found. New documents are presented to the user on the home page of the search engine, as shown at 102 in figure 27. The engine does not currently inform users if the documents matching queries have changed, although this could be added.

The meta search engine of this invention also supports tracking URLs. Tracking is initiated by clicking the [Track page] link when viewing one of the pages from the search engine results. Alternatively, tracking may be initiated for an arbitrary URL using the options page. A daemon identifies updates to the pages being tracked, and shows a list of modified pages to the user on the home page, as in figure 27. The [Page] link displays the page being tracked and inserts a header at the top showing which lines have been added or modified since the last time the user viewed the page (e.g. see figure 28).

#### Estimating the Coverage of Search Engines and the Size of the Web

As the World Wide Web continues to expand, it is becoming an increasingly important resource for

scientists. Immediate access to all scientific literature has long been a dream of scientists, and the Web search engines have made a large and growing body of scientific literature and other information resources easily accessible. The major Web search engines are commonly believed to index a large proportion of the Web. Important questions which impact the choice of search methodology include: What fraction of the Web do the search engines index? Which search engine is the most comprehensive? How up to date are the search engine databases?

A number of search engine comparisons are available. Typically, these involve running a set of queries on a number of search engines and reporting the number of results returned by each engine. Results of these comparisons are of limited value because search engines can return documents which do not contain the query terms. This may be due to (a) the information retrieval technology used by the engine, e.g. Excite uses "concept-based clustering" and Infoseek uses morphology - these engines can return documents with related words, (b) documents may no longer exist - an engine which never deletes invalid documents would be at an advantage, and (c) documents may still exist but may have changed and no longer contain the query terms.

Selberg and Etzioni (Selberg, E. and Etzioni, O. (1995), Multi-service search and comparison using the MetaCrawler, in 'Proceedings of the 1995 World Wide Web Conference'.) have presented results based on the usage logs of the MetaCrawler meta search service (due to

substantial changes in the search engine services and the Web, it is expected that their results would be significantly different if repeated now). These results considered the following engines: Lycos, WebCrawler, InfoSeek, Galaxy, Open Text, and Yahoo. Selberg and Etzioni's results are informative but limited for several reasons.

First, they present the "market share" of each engine which is the percentage of documents that users follow that originated from each of the search engines. These results are limited for a number of reasons, including (a) relevance is difficult to determine without viewing the pages, and (b) presentation order affects user relevance judgements (Eisenberg, M. and Barry, C. (1986), Order effects: A preliminary study of the possible influence of presentation order on user judgements of document relevance, in "Proceedings of the 49th Annual Meeting of the American Society for Information Science", Vol. 23, pp. 80-86).

The results considered by Selberg and Etzioni are also limited because they present results on the percentage of unique references returned and the coverage of each engine. Their results suggest that each engine covers only a fraction of the Web, however their results are limited because (a) as above, engines can return documents which do not contain the query terms - engines which return documents with related words or invalid documents can result in significantly different results, and (b) search engines return documents in different orders, meaning that all documents need to be retrieved

for a valid comparison, e.g. two search engines may index exactly the same set of documents yet return a different set as the first x.

5 In addition, Selberg and Etzioni find that the percentage of invalid links was 15%. They do not break this down by search engine. Selberg and Etzioni do point out limitations in their study (which is just a small part of a larger paper on the very successful MetaCrawler service).

10 AltaVista and Infoseek have recently confirmed that they do not provide comprehensive coverage on the Web (Brake, D. (1997), "Lost in cyberspace", New Scientist 154(2088), 12-13.) Discussed below are estimates on how much they do cover.

We have produced statistics on the coverage of the major Web search engines, the size of the Web, and the recency of the search engine databases. Only the 6 current major full-text search engines are considered herein (in alphabetical order): AltaVista, Excite, HotBot, Infoseek, Lycos, and Northern Light. A common perception is that these engines index roughly the same documents, and that they index a relatively large portion of the Web.

25 We first compare the number of documents returned when using different combinations of 1 to 6 search engines. Our overall methodology is to retrieve the list of matching documents from all engines and then retrieve all of the documents for analysis. Two important constraints were used.

0968497 "101000  
000707 2469360

5 The first constraint was that the entire list  
of documents matching the query must have been retrieved  
for all of the search engines in order for a query to be  
included in the study. This constraint is important  
because the order in which the engines rank documents  
varies between engines. Consider a query which resulted  
in greater than 1,000 documents from each engine. If we  
only compared the first 200 documents from each engine we  
may find many unique URLs. However, we would not be able  
10 to determine if the engines were indexing unique URLs, or  
if they were indexing the same URLs but returning a  
different subset as the first 200 documents.

5 The second constraint was that for all of the  
documents that each engine lists as matching the query,  
we attempted to download the full text of the  
corresponding URL. Only documents which could be  
downloaded and which actually contain the query terms are  
counted. This is important because (a) some engines can  
return documents which they believe are relevant but do  
not contain the query terms (e.g. Excite uses "concept-  
20 based clustering" and may consider related words, and  
Infoseek uses morphology), and (b) each search engine  
contains a number of invalid links, and the percentage of  
invalid links varies between the search engines (engines  
which do not delete invalid links would be at an  
25 advantage).

Other details important to the analysis are:

1. Duplicates are removed when considering the  
total number of documents returned by one engine or by a  
30 combination of engines, including detection of identical



pages with different URLs. URLs are normalized by  
a) removing any "index.html" suffix or trailing "/", b)  
removing a port 80 designation (the default), c) removing  
the first segment of the domain name for URLs with a  
directory depth greater than 1 (in order to account for  
machine aliases), and d) unescaping any "escaped"  
characters (e.g. %7E in a URL is equivalent to the tilde  
character).

2. We consider only lowercase queries because  
different engines treat capitalized queries differently  
(e.g. AltaVista returns only capitalized results for  
capitalized queries).

3. We used an individual page timeout of 60  
seconds. Pages which timed out were not included in the  
analysis.

4. We use a fixed maximum of 700 documents per  
query (from all engines combined after the removal of  
duplicates) - queries returning more documents were not  
included. The search engines typically impose a maximum  
number of documents which can be retrieved (current  
limits are AltaVista 200, Infoseek 500, HotBot 1,000,  
Excite 1,000, Lycos 1,000, and Northern Light > 10,000)  
and we checked to ensure that these limits were not  
exceeded (using this constraint no query returned more  
than the maximum from each engine, notably no query  
returned more than 200 documents from AltaVista).

5. We only counted documents which contained  
the exact query terms, i.e. the word "crystals" in a  
document would not match a query term of "crystal" - the  
non-plural form of the word would have to exist in the

document in order for the document to be counted as matching the query. This is necessary because different engines use different morphology rules.

5 6. HotBot and AltaVista can identify alternate pages with the same information on the Web. These alternate pages are included in the statistics (as they are for the engines which do not identify alternate pages with the same data).

10 7. The "special collection" (premier documents not part of the publicly indexable Web) of Northern Light was not used.

15 Over a period of time, we have collected 500 queries which satisfy the constraints. For the results presented herein, we performed the 500 queries during the period 8/23/97 to 8/24/97. We manually checked that all results were retrieved and parsed correctly from each engine before and after the tests because the engines periodically change their formats for listing documents and/or requesting the next page of documents (we also use automatic methods designed to detect temporary failures and changes in the search engine response formats).

20 Figure 29 shows the fraction of the total number of documents from the 6 engines which were retrieved by each individual engine. Table 1 below shows these results along with the 95% confidence interval. HotBot is the most comprehensive in this comparison. These results are specific to the particular queries performed and the state of the engine databases at the time they were performed. Also, the results may be  
25  
30 partly due to different indexing rather than different

databases sizes - different engines may not index identical words for the same documents (for example, the engines typically impose a maximum file size and effectively truncate oversized documents).

TABLE 1

| Search Engine           | HotBot  | Excite  | Northern Light | AltaVista | Infoseek | Lycos   |
|-------------------------|---------|---------|----------------|-----------|----------|---------|
| Coverage WRT 6 Engines  | 39.2%   | 31.1%   | 30.4%          | 29.2%     | 17.9%    | 12.2%   |
| 95% confidence interval | +/-1.4% | +/-1.2% | +/-1.3%        | +/-1.2%   | +/-1.1%  | +/-1.1% |

Figure 30 shows the average fraction of documents retrieved by 1 to 6 search engines normalized by the number retrieved from all six engines. For 1 to 5 engines, the average is over all combinations of the engines, which is averaged for each query and then averaged over queries. Using the assumption that the coverage increases logarithmically with the number of search engines, and that, in the limit, an infinite number of search engines would cover the entire Web,  $f(x) = b(1 - 1/\exp(ax))$ , where  $a$  and  $b$  are constants and  $x$  is the number of search engines, was fit to the data (using Levenberg-Marquardt minimization (Fletcher, R. (1987), Practical Methods of Optimization, Second Edition, John Wiley & Sons) with the default parameters in the program gnuplot) and plotted on figure 30. This

is equivalent to the assumption that each engine covers a certain fixed percentage of the Web, and each engine's sample of the Web is drawn independently from all Web pages ( $c_i = c_{i-1} + c_1(1-c_{i-1})$ ,  $i = 2 \dots n$  where  $c_i$  is the coverage of  $i$  engines and  $c_1$  is the coverage of one engine).

There are a number of important biases which should be considered. Search engines typically do not consider indexing documents which are hidden behind search forms, and documents where the engines are excluded by the robots exclusion standard, or by authentication requirements. Therefore, we expect the true size of the Web to be much larger than estimated here. However search engines are unlikely to start indexing these documents, and it is therefore of interest to estimate the size of the Web that they do consider indexing (hereafter referred to as the "indexable Web"), and the relative comprehensiveness of the engines.

The logarithmic extrapolation above is not accurate for determining the size of the indexable Web because (a) the amount of the Web indexed by each engine varies significantly between the engines, and (b) the search engines do not sample the Web independently. All of the 6 search engines offer a registration function for users to register their pages. It is reasonable to assume that many users will register their pages at several of the engines. Therefore the pages indexed by each engine will be partially dependent. A second source of dependence between the sampling performed by each engine comes from the fact that search engines are

typically biased towards indexing pages which are linked to in other pages, i.e. more popular pages.

Consider the overlap between engines a and b in figure 31. Assuming that each engine samples the Web independently, the quantity  $n_o/n_b$ , where  $n_o$  is the number of documents returned by both engines and  $n_b$  is the number of documents returned by engine b, is an estimate of the fraction of the indexable Web,  $p_a$ , covered by engine a. Using the coverage of 6 engines as a reference point we can write  $p'_a = n_a/n_6$ , where  $n_a$  is the number of documents returned by engine a and  $n_6$  is the number of unique documents returned by the combination of 6 engines. Thus,  $p'_a$  is the coverage of engine a with respect to the coverage of the 6 engines, we can write  $c = p'_a/p_a = n_a n_b / n_6 n_o$ . We use this equation to estimate the size of the Web in relation to the amount of the Web covered by the 6 engines considered here. Because the size of the engines varies significantly, we consider estimating the value of  $c$  using combinations of two engines, from the smallest two to the largest two. We limit this analysis to the 245 queries returning  $\geq 50$  documents (to avoid difficulty when  $n_o = 0$ ). Table 2 shows the results. Values of  $c$  smaller than 1 suggest that the size of the indexable Web is smaller than the number of documents retrieved from all 6 engines. It is reasonable to expect that larger engines will have lower dependence because a) they can index more pages other than the pages which users register, and b) they can index more of the less popular

pages on the Web. Indeed, there is a clear trend where the estimated value of  $c$  increases with the larger engines.

5

10

TABLE 2

| Search Engines          | Lycos & Infoseek | Infoseek & AltaVista | AltaVista & Northern Light | Northern Light & Excite | Excite & HotBot |
|-------------------------|------------------|----------------------|----------------------------|-------------------------|-----------------|
| Engine Sizes            | Smallest         |                      | →                          |                         | Largest         |
| Estimated $c$           | 0.6              | 0.9                  | 0.9                        | 1.9                     | 2.2             |
| 95% confidence interval | +/-0.04          | +/-0.06              | +/-0.04                    | +/-0.12                 | +/-0.17         |

Using  $c = 2.2$ , from the comparison with the largest two engines, we can estimate the fraction of the indexable Web which the engines cover: HotBot 17.8%, Excite 14.1%, Northern Light 13.8%, AltaVista 13.3%, Infoseek 8.1%, Lycos 5.5%. These results are shown at 120 in figure 32. The percentage of the indexable Web indexed by the major search engines is much lower than is commonly believed. We note that (a) it is reasonable to expect that the true value of  $c$  is actually larger than

2.2 due to the dependence which remains between the two largest engines, and (b) different results may be found for queries from a different class of users.

HotBot reportedly contains 54 million pages, putting our estimate on a lower bound for the size of the indexable Web at approximately 300 million pages.

Currently available estimates of the size of the Web vary significantly. The Internet Archive uses an estimate of 80 million pages (excluding images, sounds, etc.)

(Cunningham, M. (1997), 'Brewster's millions', <http://www.irish-times.com/irish-times/paper/1997/0127/cmp1.html>.) Forrester Research estimates that there are more than 75 million pages (Guglielmo, C. (1997), 'Mr.Kurnit's neighborhood', *Upside September*.) AltaVista now estimates that there the Web contains 100 to 150 million pages (Brake, D. (1997), 'Lost in cyberspace', *New Scientist* 154(2088), 12-13).

A simple analysis of page retrieval times leads to some interesting conclusions. Table 3 below shows the median time for each of the six major search engines to respond, along with the median time for the first of the six engines to respond when queries are made simultaneously to all engines (as happens in the meta engine).

Table 3

| Search Engine | Median Time for response (seconds) |
|---------------|------------------------------------|
| AltaVista     | 0.9                                |
| Infoseek      | 1.3                                |

|  |     |
|--|-----|
| HotBot   | 2.6 |
| Excite   | 5.2 |
| Lycos  | 2.8 |
| Northern Light   | 7.5 |
| All engines  | 2.7 |
| First of 6 engines   | 0.8 |
| First result from the meta search engine of this invention | 1.3 |

Histograms of the response times for these engines and the first of 6 engines are shown in figures 33 and 34, and the median times are shown in figure 35. Figure 36 shows the median time for the first of  $n$  engines to respond. These results are from September 1997, and we note that the relative speed of the search engines varies over time.

Looking now at the time to download arbitrary Web pages, figure 37 shows a histogram of the response time. Figure 38 shows the median time for the first of  $n$  engines to respond. We can estimate the time for the meta engine to display the first result, which we create by sampling from the distributions for the first of 6 search engines (the meta engine actually uses more than 6 search engines but we concentrate on the major Web engines here), and the first of 10 Web pages (the actual number depends on the number returned by the first engine to respond), adding these together, and averaging over 10,000 trials.



Figure 39 shows a histogram of this distribution. The median of the distribution is 1.3 seconds (compared to 2.7 seconds for the median response time of a search engine even without downloading any actual pages). For comparison, the average time MetaCrawler takes to return results is 25.7 seconds (without page verification) or 139.3 seconds (with page verification) (Selberg, E. and Etzioni, O. (1995), Multi-service search and comparison using the MetaCrawler, in 'Proceedings' of the 1995 World Wide Web Conference') (the underlying search engines and/or the Web appear to be significantly faster than they were when Selberg and Etzioni performed their experiment).

Therefore, on average we find that the parallel architecture of the meta engine of this invention allows it to find, download and analyze the first page faster than the standard search engines can produce a result although the standard engines do not download and analyze the pages. Note that the results in this section are specific to the particular queries performed (speed as a function of the query is different for each engine) and the network conditions under which they were performed. These factors may bias the results towards certain engines. The non-stationarity of Web access times is not considered here, e.g. the speed of the engines varies significantly over time (short term variations may be due to network or machine problems and user load, long term variations may be due to modifications in the search engine software, the search engine hardware resources, or relevant network connections).

5 The meta search engine of this invention demonstrates that real-time analysis of documents returned from Web search engines is feasible. In fact, calling the Web search engines and downloading Web pages in parallel allows the meta search engine of this invention to, on average, display the first result quicker than using a standard search engine.

10 User feedback indicates that the display of real-time local context around query terms, and the highlighting of query terms in the documents when viewed, significantly improves the efficiency of searching the Web.

15 Our experiments indicate that an upper bound on the coverage of the major search engines varies from 6% (Lycos) to 18% (HotBot) of the indexable Web. Combining the results of six engines returns more than 3.5 times as many documents when compared to using only one engine. By analyzing the overlap between search engines, we estimate that an approximate lower bound on the size of the indexable Web is 300 million pages. The percentage of invalid links returned by the major engines varies from 3% to 7%. Our results provide an indication of the relative coverage of the major Web search engines, and confirm that, as indicated by Selberg and Etzioni, the coverage of any one search engine is significantly limited.

25 While it is apparent that the invention herein disclosed is well calculated to fulfill the objects previously stated, it will be appreciated that numerous modifications and embodiments may be devised by those

30



What is claimed is:

1. A computer-implemented meta search engine method,  
comprising the steps of:

forwarding a query to a plurality of third  
party search engines;

parsing the responses from the third party  
search engines in order to extract information regarding  
the documents matching the query;

downloading the full text of the documents  
matching the query;

locating query terms in the documents and  
extracting text surrounding the query terms; and

displaying the text surrounding the query  
terms.

2. A method according to Claim 1, further including the  
step of progressively displaying the text surrounding the  
query terms as the documents are retrieved.

3. A method according to Claim 1, further including the  
step of filtering the context strings in order to improve  
readability by removing redundant whitespace, repeated  
characters, HTML comments and tags, and special  
characters.

4. A method according to Claim 1, further including the  
step of identifying and filtering pages which no longer  
contain the query terms.

5. A method according to Claim 1, further including the step of clustering the documents based on analysis of the full text of each document and identification of co-occurring phrases and words, and conjunctions thereof.

6. A method according to Claim 1, further including the steps of storing the documents matching a query so that a query can be repeated and only showing documents which are new or have been modified since the last query or a given time.

7. A method according to Claim 1, further including the step of filtering the actual documents when viewed in full in order to (a) highlight the query terms, and (b) insert quick jump links so the user can quickly jump to the query term of interest.

8. A method according to Claim 1, further including the steps of creating and using a database of meta-information regarding query terms, e.g. storing a list of movie titles, recognizing when the user enters a query containing a movie title, and taking a special action such as referring the user to the review of the movie at a specific movie review site.

9. A method according to Claim 1, further including the step of storing and using information regarding the particular documents requested by a user in response to a query, e.g. remembering the most commonly requested

document for a given query and presenting this document first in response to the same query in the future.

5 10. A method according to Claim 1, further including the steps of analyzing the number of documents which would have been found as a function of the number of third party search engines queried, and computing the estimated size of the third party search engines and the estimated size of the document base which the third party search engines index.

10 11. A method according to Claim 1, further including the step of scheduling regular searches, whereby the user is informed of either new or modified documents since the previous search.

15 12. A method according to Claim 1, further including the step of using a more advanced detection of duplicate documents by identifying duplicate context even when documents may have different headers or footers.

20 13. A method according to Claim 1, further including the step of caching the full documents in order to improve access speed.

25 14. A method according to Claim 1, further including the step of using context sensitive suggestions based on the query entered, e.g. providing suggestions regarding how to search for a name when the query contains a single character that could represent an initial.

15. A method according to Claim 1, further including the step of using a proximity based ranking scheme to re-rank documents according to the number of and proximity between query terms.

5

16. A computer-implemented meta search engine method, comprising the steps of:

forwarding a query to a third party search engine;

10

parsing the responses from the third party search engine in order to extract information regarding the documents matching the query;

downloading the full text of the documents matching the query;

locating query terms in the documents and extracting text surrounding the query terms; and

displaying the text surrounding the query terms.

17. A method according to Claim 16, further including the step of progressively displaying the text surrounding the query terms as the documents are retrieved.

25

18. A method according to Claim 16, further including the step of filtering the context strings in order to improve readability by removing redundant whitespace, repeated characters, HTML comments and tags, and special characters.

19. A method according to Claim 16, further including the step of identifying and filtering pages which no longer contain the query terms.

5 20. A method according to Claim 16, further including the step of clustering the documents based on analysis of the full text of each document and identification of co-occurring phrases and words, and conjunctions thereof.

10 21. A method according to Claim 16, further including the steps of storing the documents matching a query so that a query can be repeated and only showing documents which are new or have been modified since the last query or a given time.

15 22. A method according to Claim 16, further including the step of filtering the actual documents when viewed in full in order to (a) highlight the query terms, and (b) insert quick jump links so the user can quickly jump to the query term of interest.

20 23. A method according to Claim 16, further including the steps of creating and using a database of meta-information regarding query terms, e.g. storing a list of movie titles, recognizing when the user enters a query  
25 containing a movie title, and taking a special action such as referring the user to the review of the movie at a specific movie review site.



24. A method according to Claim 16, further including the step of storing and using information regarding the particular documents requested by a user in response to a query, e.g. remembering the most commonly requested document for a given query and presenting this document first in response to the same query in the future.

25. A method according to Claim 16, further including the step of scheduling regular searches, whereby the user is informed of either new or modified documents since the previous search.

26. A method according to Claim 16, further including the step of using a more advanced detection of duplicate documents by identifying duplicate context even when documents may have different headers or footers.

27. A method according to Claim 16, further including the step of caching the full documents in order to improve access speed.

28. A method according to Claim 16, further including the step of using context sensitive suggestions based on the query entered, e.g. providing suggestions regarding how to search for a name when the query contains a single character that could represent an initial.

29. A method according to Claim 16, further including the step of using a proximity based ranking scheme to re-

rank documents according to the number of and proximity between query terms.

5 30. A computer-implemented keyword based image search engine method, comprising the steps of:

forwarding a query to a plurality of third party image search engines;

10 parsing the responses from the third party search engines in order to extract information regarding the images matching the query;

downloading the images matching the query; and displaying thumbnails of the images to the user.

15 31. A method according to claim 30, further including the step of user selectable filtering of the images based on size, color, or semantic attributes of the images.

20 32. A method according to claim 30, further including the step of identifying and filtering commonly used images on the Web such as the Netscape Now image and horizontal bars used to separate sections of a document.

25 33. A method according to claim 30, further including the step of identifying and filtering similar images.

34. A method according to claim 30, further including the steps of identifying the type of an image, e.g. photograph, line drawing, logo, map, cartoon, portrait,

button, chart, or astronomical pictures, and filtering based on the image type.

5 35. A method according to claim 30, further including the steps of storing the images matching a query so that a query can be repeated, and only showing new images.

10 36. A method according to claim 30, further including the step of storing the meta-information (e.g. type of image) so that images may be filtered using the meta-information without downloading the image again for new queries.

15 37. A method according to claim 30, further including the steps of displaying the full image along with the document referring to it if possible, and highlighting of query terms in the document.

20 38. A computer-implemented keyword based image search engine method, comprising the steps of:

forwarding the query to a plurality of third party text search engines;

25 parsing the responses from the third party search engines in order to extract information regarding the documents matching the query;

downloading the documents matching the query;

analyzing the documents and locating images which may match the user query based on the proximity of query terms to image tags or references;

30 downloading the images; and

displaying thumbnails of the images to the user.

39. A method according to claim 38, further including the step of user selectable filtering of the images based on size, color, or semantic attributes of the images.

40. A method according to claim 38, further including the step of identifying and filtering commonly used images on the Web such as the Netscape Now image and horizontal bars used to separate sections of a document.

41. A method according to claim 38, further including the step of identifying and filtering similar images.

42. A method according to claim 38, further including the steps of identifying the type of an image, e.g. photograph, line drawing, logo, map, cartoon, portrait, button, chart, or astronomical pictures, and filtering based on the image type.

43. A method according to claim 38, further including the steps of storing the images matching a query so that a query can be repeated, and only showing new images.

44. A method according to claim 38, further including the step of storing the meta-information (e.g. type of image) so that images may be filtered using the meta-information without downloading the image again for new queries.

45. A method according to claim 38, further including the steps of displaying the full image along with the document referring to it if possible, and highlighting of query terms in the document.

46. A computer-implemented meta search engine comprising:

means for forwarding a query to a plurality of third party search engines;

means for parsing the responses from the third party search engines in order to extract information regarding the documents matching the query;

means for downloading the full text of the documents matching the query;

means for locating query terms in the documents and extracting text surrounding the query terms; and

means for displaying the text surrounding the query terms.

47. A meta search engine according to Claim 46, further including means for the progressive display of the text surrounding the query terms as the documents are retrieved.

48. A meta search engine according to Claim 46, further including means for the filtering of the context strings in order to improve readability by removing redundant whitespace, repeated characters, HTML comments and tags, and special characters.

49. A meta search engine according to Claim 46, further including means for the identification and filtering of pages which no longer contain the query terms.

5 50. A meta search engine according to Claim 46, further including a mechanism for clustering the documents based on analysis of the full text of each document and identification of co-occurring phrases and words, and conjunctions thereof.

10 51. A meta search engine according to Claim 46, further including a mechanism for storing the documents matching a query so that a query can be repeated and for only showing documents which are new or have been modified since the last query or a given date.

15 52. A computer-implemented meta search engine comprising:

20 means for forwarding a query to a third party search engine;

means for parsing the responses from the third party search engine in order to extract information regarding the documents matching the query;

25 means for downloading the full text of the documents matching the query;

means for locating query terms in the documents and extracting text surrounding the query terms; and

means for displaying the text surrounding the query terms.

53. A meta search engine according to Claim 52, further including means for the progressive display of the text surrounding the query terms as the documents are retrieved.

5

54. A meta search engine according to Claim 52, further including means for the filtering of the context strings in order to improve readability by removing redundant whitespace, repeated characters, HTML comments and tags, and special characters.

10

55. A meta search engine according to Claim 52, further including means for the identification and filtering of pages which no longer contain the query terms.

56. A meta search engine according to Claim 52, further including a mechanism for clustering the documents based on analysis of the full text of each document and identification of co-occurring phrases and words, and conjunctions thereof.

57. A meta search engine according to Claim 52, further including a mechanism for storing the documents matching a query so that a query can be repeated and for only showing documents which are new or have been modified since the last query or a given date.

25

58. A computer-implemented keyword based image search engine system, comprising:

means for forwarding a query to a number of  
third party image search engines;

means for parsing the responses from the third  
party search engines in order to extract information  
regarding the images matching the query;

means for downloading the images matching the  
query; and

means for displaying thumbnails of the images  
to the user.

59. A system according to claim 58, further including  
means for selectable filtering of the images based on  
size, color, or semantic attributes of the images.

60. A system according to claim 58, further including  
means for identifying and filtering commonly used images  
on the Web such as the Netscape Now image and horizontal  
bars used to separate sections of a document.

61. A system according to claim 58, further including  
means for identifying and filtering similar images.

62. A system according to claim 58, further including  
means for identifying the type of an image, e.g.  
photograph, line drawing, logo, map, cartoon, portrait,  
button, chart, or astronomical pictures, and filtering  
based on the image type.



63. A system according to claim 58, further including means for storing the images matching a query so that a query can be repeated, and only new images are shown.

5 64. A system according to claim 58, further including means for storing the meta-information (e.g. type of image) so that images may be filtered using the meta-information without downloading the image again for new queries.

10 65. A system according to claim 58, further including means for displaying the full image along with the document referring to it if possible, and means for highlighting of query terms in the document.

66. A computer-implemented keyword based image search engine, comprising:

means for forwarding the query to a plurality of third party text search engines;

20 means for parsing the responses from the third party search engines in order to extract information regarding the documents matching the query;

means for downloading the documents matching the query;

25 means for analyzing the documents and locating images which may match the user query based on the proximity of query terms to image tags or references;

means for downloading the images; and

30 means for displaying thumbnails of the images to the user.

67. A system according to claim 66, further including means for selectable filtering of the images based on size, color, or semantic attributes of the images.

5 68. A system according to claim 66, further including means for identifying and filtering commonly used images on the Web such as the Netscape Now image and horizontal bars used to separate sections of a document.

10 69. A system according to claim 66, further including means for identifying and filtering similar images.

15 70. A system according to claim 66, further including means for identifying the type of an image, e.g. photograph, line drawing, logo, map, cartoon, portrait, button, chart, or astronomical pictures, and filtering based on the image type.

20 71. A system according to claim 66, further including means for storing the images matching a query so that a query can be repeated, and only new images are shown.

25 72. A system according to claim 66, further including means for storing the meta-information (e.g. type of image) so that images may be filtered using the meta-information without downloading the image again for new queries.

30 73. A system according to claim 66, further including means for displaying the full image along with the

document referring to it if possible, and means for highlighting of query terms in the document.

5 74. A computer-implemented method for estimating the relative coverage of third-party search engines which comprises the steps of:

forwarding a set of queries to two third-party search engines;

10 retrieving the full list of results from each search engine;

retrieving the text of all pages listed by the search engines;

filtering out pages which are unavailable or no longer match the query;

15 and

comparing the number of remaining pages from each engine.

20 75. A computer-implemented method for information retrieval which comprises the steps of:

recognizing a query in the form of a question;

transforming the question into a set of one or more specific forms in

25 which the answer to the question might be expressed; and

searching for the transformed query.

30 76. The method according to claim 75, wherein the specific expressive forms for each type of question are manually written.

77. The method according to claim 75, wherein the specific expressive forms for each type of question are learnt by analyzing the context of query terms in the documents which users select from the search method comprising the steps of:

forwarding a query to a plurality of third party search engines;

parsing the responses from the third party search engines in order to extract information regarding the documents matching the query;

downloading the full text of the documents matching the query;

locating query terms in the documents and extracting text surrounding the query terms;

displaying the text surrounding the query terms; and

identifying common forms of the context.

78. A computer-implemented method for query expansion which comprises the steps of:

stemming the query terms;

searching the set of query result pages for commonly occurring morphological variants of the query terms; and

using the commonly occurring morphological variants for query expansion.

### ABSTRACT OF THE DISCLOSURE

A computer implemented meta search engine and search method. In accordance with this method, a query is forwarded to one or more third party search engines, and the responses from the third party search engine or engines are parsed in order to extract information regarding the documents matching the query. The full text of the documents matching the query are downloaded, and the query terms in the documents are located. The text surrounding the query terms are extracted, and that text is displayed.

12

Home Options Help Suggestions Problems NECI meta search (14093 queries)

Find:

Web & Usenet web Usenet Press Images Citations Journals Tech All

(Hide) Constraints: Locality: Any Age limit: None Depth: Any Images: Any

(Hide) Options: Hits: 100 Context: 100 Cluster: No Tracking: No

14

16

20

Tip: Not using the options above? Click on the "hide" links to save screen space.

| Tomorrow at NECI |   |
|------------------|---|
|                  | CS Talk: <b>"Visual Homing: Surfing on the Epipoles"</b> , Ilan Shimshoni, The Technion, (DWJ) - Multipurpose Room 2F01, 2nd Floor  |
| 10:30            | This is joint work with Ronen Basri and Ehud Rivlin We introduce a novel method for visual homing. Using this method a robot can be sent to desired positions and orientations in 3-D space specified by single images taken from these positions. Our method is based on recovering the epipolar geometry relating the current image taken by the robot and the target image. Using the epipolar geometry, most of the parameters which specify the differences in position and orientation of the camera between the two images are recovered. However, since not all of the parameters can be recovered from two images, we have developed sp... |
| 2:30             | Lexical Semantics and Information Retrieval Discussion Group Meeting, Coordinator, Robert Krovetz - Board Room 4D09, 4th Floor  |
| OUT              | Aeppli, Altshuler, Anupindi, Ebbesen, Gottlieb, Omohundro, de Ruyter  |

Coverage WRT Estimated "Indexable Web" Size




Figure 1. Home page of the NECI meta search engine.

Options:

Individual page timeout:

30

Filter pages to highlight hits when viewing full page:

Yes

Filter images from the pages when viewed:

Keep

Display pages for each query in the same or a new window:

Same

Image classification:

Yes

Add URL to track:

Update Options

Queries being tracked:

"search engine" Press [\[Stop tracking query\]](#)

signafy Press [\[Stop tracking query\]](#)

URLs being tracked:

Page <http://cesdis.gsfc.nasa.gov/linux/drivers/vortex.html> [\[Stop tracking URL\]](#)

Page <http://www.linuxhq.com/kpatch21.html> [\[Stop tracking URL\]](#)

Page <ftp://ftp.cygnum.com/pub/egcs/releases/> [\[Stop tracking URL\]](#)

Page <http://www.neci.nj.nec.com/homepages/giles/> [\[Stop tracking URL\]](#)

Page <ftp://ftp.kernel.org/pub/linux/kernel/v2.1/> [\[Stop tracking URL\]](#)

Description of the options on the main page:

**Hits:** Maximum number of hits to display excluding duplicates

**Context:** Number of context characters to show either side of the query terms

**Cluster:** Cluster documents after retrieval

**Tracking:** Start tracking this query and tell me when new documents appear which match the query

**Locality:** Only show documents in this domain

**Age limit:** Filter out documents older than the specified age

**Depth:** Only show documents with a given subdirectory depth

**Images:** Filter images and only show photos or graphics

Figure 2. Options page of the NECI meta search engine.

Home Options Help Suggestions Problems NECI meta search (13416 queries)

Find:

Web Usenet Web Usenet Press Images Citations Journals Tech All

(Show) Constraints

(Hide) Options

Hits:  Context:  Cluster:  Tracking:

Searching for: **+nec + "digital watermark"** using: [HotBot](#) [Infoseek](#) [AltaVista](#) [Excite](#) [Lycos](#) [Northern Light](#) [Yahoo](#) [WebCrawler](#)

Tip: The query term links in the "Searching for" line lead to the Webster dictionary definitions.

**Ingemar Cox Home Page** 1m 13k <http://www.neci.nj.nec.com/homepages/ingemar/ingemar.html>  
 ...<http://www.neci.nj.nec.com/homepages/ingemar/ingemar.html>... /...ar Cox Home Page Ingemar J. Cox Sr. Research Scientist, Computer Vision , NEC Research Institute My most recent work has focused on the development of statistical framework... /...r investigation include face recognition, and stereo correspondence problems. Address NEC Research Institute 4 Independence Way Princeton, NJ 08540. USA Office: 609-951-2722 Fax... /... My most recent work has focused on the development of statistical frameworks for motion analysis, **digital watermarking** and content-based image database retrieval. Other projects currently under investigation includ...

**NECI Technical Report 95-10** 1y 2k <http://www.neci.nj.nec.com/tr/neci-abstract-95-10.html>  
 ...<http://www.neci.nj.nec.com/tr/neci-abstract-95-10.html>... /... **NECI Technical Report 95-10** NECI Technical Report 95-10 NEC Research Institute, 4 Indepe... /... Ingemar J. Cox, Joe Kilian, Tom Leighton, and Talal Shamoon. December 4, 1995. We describe a **digital watermarking** method for use in audio, image, video and multimedia data. We argue that a watermark must be p... /...n, including dithering and recompression and rotation, translation, cropping and scaling. The same **digital watermarking** algorithm can be applied to all three media under consideration with only minor modifications. ...

**Mass High Tech** 1 n/a 4k <http://boston.com/mht/issue/w81296/index.html>  
 ... sites Netscape Bonds With Apple. Netscan Netscape Bonds With Apple JEM adds NEC to its online factory outlet Local science teachers Access Excellence A digitized play... /... Lead Stories August 12-17, 1996 This Week In Mass High Tech ARIS says it's on key with **digital watermark** is right on tune Info highway rest stops CAT's meow of Web sites Netscape Bond...

**BU CAS CS 585: Image and Video Computing --- Syllabus** 1 n/a 6k  
<http://www.cs.bu.edu/faculty/sclaroff/courses/cs585/syllabus.html>  
 ... Cox, J. Kilian, T. Leighton, and T. Shamoon, Secure Spread Spectrum Watermarking for Multimedia , NEC Research Institute Technical Report 95-10. M. Kass, A. Witkin, and D. Terzopoulos. Snakes: Act... /...ions [1,2] Oct T 1 Edge detection C5 P1 due, P2 out R 3 **Digital watermark**, steganography [3] T 8 Edges, contours C6 R 10 Curve matchin...

**SMH COMPUTERS February 20 1996 : Mark to foil Net pirates** H n/a 2k  
<http://www.smh.com.au/computers/content/960220/news6-960220.html>  
 ...6 : Mark to foil Net pirates Week of February 20, 1996 Mark to foil Net pirates NEC researchers in the US have developed a "digital watermark" that can be attached to multimedia info... /...ing its owner beyond doubt in the case of a copyright dispute. Embedded in the data itself, NEC says it is "a mathematically derived code included in the frequency signals of the information sen... /...re multimedia information of dubious ownership is proliferating. The code is invisible to users and NEC is confident it cannot be found and stripped out by multimedia pirates. It is embedded in ... /... February 20, 1996 Mark to foil Net pirates NEC researchers in the US have developed a "**digital watermark**" that can be attached to multimedia information, identifying its owner beyond doubt in the case of...

[...section deleted...]

Figure 3. First portion of a sample response of the NECI meta search engine for the query nec and "digital watermark".



Ranked pages (first 20):

299.974 ■ **NEWSbytes** A 1y 36k <http://nccr.monitor.ca/monitor/issues/vol3iss7/newsbytes.html>  
 ...torola licenses Apple OS Apple CEO reveals new strategy Chess: Kasparov beats Deep Blue **NEC 'Digital Watermark'** technology Week of February 12 - February 16 / 1996 New Fax stand... /...-around won't come cheap  
 ENIAC to run on 50th anniversary Mitel demos USB phone-computer connection Previous Page / Next Page  
 Week of March 4 - March 8 /... /...ely, and productively. The products offered by the Small Business Unit will  
 reportedly let users connect to the Internet as well as create corporate intranets to link the businesses with their  
 customers... /...a licenses Apple OS Apple CEO reveals new strategy Chess: Kasparov beats Deep Blue **NEC**  
**'Digital Watermark'** technology Week of February 12 - February 16 / 1996 New Fax standard to incorporate ...  
 /...he third and fourth were draws, and Kasparov won the last two games. Back to top **NEC 'Digital Watermark'**  
 technology [February 20/96] **NEC Corporation** has developed technology that will digitally mark... /...eo, and  
 multimedia data as well as text and images. Unlike conventional encryption systems, the **digital watermark** stays  
 embedded in the data and remains unaffected by digital-analogue conversions. image scaling o...

299.931 ■ **tigermarktwo.html** A 7m 4k <http://intermedia-design.com/tigermarktwo.html>  
 ... tigermarktwo.html **NEC TigerMark DataBlade Module for Images From Informix and NEC What is**  
**Watermarking?** ... /... **NEC TigerMark DataBlade Module for Images From Informix and NEC What is**  
**Watermarking?** With the advent of digital communication, including the I... /...ng the Internet, make it easy to  
 transmit and redistribute perfect copies of digital data. Now with **NEC is TigerMark** technology, you can custom  
 watermark your images permanently and securely, without de... /...es permanently and securely, without degrading  
 the quality of the content. **NEC has developed a digital Watermarking technology that solves this problem for**  
 today is content providers. **NEC is TigerMark is a digit... /...erever your content goes, your watermark goes, too.**  
**NEC provides a powerful tool Digital watermark NEC has developed a digital Watermarking technology that**  
 meets the needs of today is busines... /...s. too. **NEC provides a powerful tool Digital watermark NEC has**  
 developed a **digital Watermarking technology that meets the needs of today is business environment. NEC is**  
 digital watermark Tige...

299.89 ■ **Focus on Internet** H 1m 9k [http://www.esi.es/Information/SWT/R\\_D/1196/four.html](http://www.esi.es/Information/SWT/R_D/1196/four.html)  
 ...ERNET NEWS 24 HOURS IN CYBERSPACE PARTS OF INTERNET GO BLACK IN PROTEST OVER  
 NEW LAW **NEC DEVELOPS DIGITAL WATERMARK TECHNOLOGY INTERESTING SITES KFKI**  
 RESEARCH INSTITUTE FOR MEASUR... /...arian groups and individuals. Sunday February 11 This is an  
 excerpt Source: Reuters **NEC DEVELOPS DIGITAL WATERMARK TECHNOLOGY PRINCETON, N.J. -**  
**NEC says scientists at its NEC Research ... /...an excerpt Source: Reuters NEC DEVELOPS DIGITAL**  
**WATERMARK TECHNOLOGY PRINCETON, N.J. - NEC says scientists at its NEC Research Institute have**  
 developed a digital watermarking method for use... /...WS 24 HOURS IN CYBERSPACE PARTS OF  
 INTERNET GO BLACK IN PROTEST OVER NEW LAW **NEC DEVELOPS DIGITAL WATERMARK**  
**TECHNOLOGY INTERESTING SITES KFKI RESEARCH INSTITUTE FOR MEASUREMENT AND**  
 COMPUTING TECHNIQ... /...and individuals. Sunday February 11 This is an excerpt Source: Reuters **NEC**  
**DEVELOPS DIGITAL WATERMARK TECHNOLOGY PRINCETON, N.J. - NEC says scientists at its NEC**  
 Research Institute have developed a ... /...K TECHNOLOGY PRINCETON, N.J. - NEC says scientists at its **NEC**  
 Research Institute have developed a **digital watermarking method for use in protecting copyrighted audio, image,**  
 video and multimedia data. The company s...

[...section deleted...]

Figure 4. Second portion of a sample response of the NECI meta search engine for the query nec and "digital watermark", showing the pages ranked according to the relevance measure (equation 1) which includes term proximity information.

Only 1 search term was found in these documents:

☐ ARIS Technologies' Homepage H 16d 2k <http://www.musicode.com/welcome.html>

... ARIS Technologies' Homepage ARIS Technologies is an industry leader in **digital watermarking**. We deal exclusively with protecting intellectual property such as audio, video, and multimedia...

☐ Psych 267 Final Projects A n/a-8k <http://white.stanford.edu/~heeger/psych267/final.html>

...interactive lighting design. Proceedings Eurographics '95, p. 229-240, 1995 ( preprint ). **Digital watermark**. References: Cox, Kilian, Leighton and Shamoon, "A Secure, Imperceptible yet Perceptually sal... /..., IBM Tech. Report ( preprint available ). Further links to other papers and resources on **digital watermarks**. Face recognition with "eigenfaces". References: Turk and Pentland. "Face recognition u...

☐ Digimarc receives funding of \$4.5M. N n/a 6k <http://www.nlsearch.com/cgi-bin/pdserv.pl?cbrecid=YY19970425030163059&ho=typhoon&po=5005>

... Summary: First licensee is Adobe. Digimarc, the company that last year announced its Imagemarc **digital watermark** technology, seems to be ready to make its move in the market. ...

☐ Newsbytes Daily Summary N \*\* 0d ~ 28k <http://newsbytes.mpx.com.au/newsbytes/daily.html>

.... Lemout & Hauspie [NASDAQ:LHSPF] (L&H) of Burlington, Massachusetts, and Ieper, Belgium. **CHIPS NEC Develops World's Smallest Transistor TOKYO, JAPAN, 1997 SEP 11 (NB) - By Martyn Williams. NEC Co... /...PS NEC Develops World's Smallest Transistor TOKYO, JAPAN, 1997 SEP 11 (NB) - By Martyn Williams. NEC Corporation [TOKYO:6701] says it has developed the world's smallest operational transistor, a me... /...te length of 14 nanometers (14 millionths of a millimeter). The achievement was reached as part of NEC's development of a 10 terabit memory chip. Intel Advances Mobile PC Platform HONG KONG, CHINA....**

☐ A letter from the publisher TIME, December 6, 1971 L 1y 3k

<http://electron.rutgers.edu/~myadav/war71/wall/dec6a.html>

...tough warning to India. But the only evidence of war that night was the blackout which was quite unnecessary." From the correspondents' files, and from background research assembled by Reporter-Res...

Figure 5. Third portion of a sample response of the NECI meta search engine for the query nec and "digital watermark", showing pages where only one of the query terms was found.

No search terms were found in these documents:

Article Two H 1y 1k <http://miavx1.muohio.edu/~whittijs/articletwo.html>

Userdir rule failure The server was unable to resolve the requested / username reference, possible causes include:  
Username invalid Server is unable to determine username's login directory due to insufficient privilege to

Jonathan G.Campbell, University of Ulster, N. Ireland, WWW Links I n/a 1k <http://www.iscm.ulst.ac.uk/~jon/book/>

J.G. Campbell's Bookmarks From 27 August 1997 this page is \*permanently\* relocated to  
<http://www.infm.ulst.ac.uk/jgc/book> Updated 27 August 1997 - JG.Campbell@ulst.ac.uk

CIOs/Comserve WWW server address has changed L 5m 1k

<http://cios.llc.rpi.edu:4997/mailboxes/comgrads\08085104.118>

CIOs/Comserve WWW server address has changed The CIOs web server address has changed. It is now  
<http://www.cios.org> Please note too the new email address for the Comserve email interface to

DEFINE IMAGE L 9m 2k <http://iram.fr/doc/sic/node58.html>

DEFINE IMAGE Next: DEFINE /LIKE Up: DEFINE Previous: DEFINE HEADER DEFINE IMAGE DEFINE  
IMAGE Var1 File1 Key1 [Var2 File2 Key2 [...]] [/GLOBAL]

Arizona Off-Road L 3m 3k <http://www.azoffroad.com>

Arizona Off-Road 1833 W. Mountain View Road Phoenix, AZ 85021 ATC's MOTORCYCLES JET SKIS GO  
CARTS

Résultats dans les cantons L 21d 5k <http://www.admin.ch/ch/f/pore/va/19840226/can316.html>

Votation no 316 - Résultats dans les cantons Tableau récapitulatif / deutsch Votation no 316 Résultats dans les  
cantons Arrêté fédéral concernant la perception d'une redevance sur le trafics des poids lourds du 24 juin 19

"We Know How the Parisians Felt" L 1y 6k <http://electron.rutgers.edu/~myadav/war71/wall/dec27b.html>

"We Know How the Parisians Felt" "We Know How the Parisians Felt" Section: Box ,Page, TIME, Dec. 27, 1971  
Time Correspondent Dan Coggin, who covered the war from Pakistani side, was in Dacca when that city  
surrendered. His repor

The U.S. : A Policy in Shambles L 1y 6k <http://electron.rutgers.edu/~myadav/war71/wall/dec20b.html>

The U.S. : A Policy in Shambles The Nixon Administration drew a fusillade of criticism last week for its policy on  
India and Pakistan. Two weeks ago, when war broke out between two traditional enemies, a State Department  
spokesman issued

ClariNet Tearsheet: Government, Business, and General News N \*\*\* 0d \*\* 8k <http://www.clari.net/Samples/nb-other.html>

ClariNet Tearsheet: Government, Business, and General News ClariNet \* ClariNet Tearsheet: Government,  
Business, and General News ClariNet Tearsheet: Government, Business, and General News This summary of  
computer and technology news is

Figure 6. Fourth portion of a sample response of the NECI meta search engine for the query nec and "digital watermark", showing pages where none of the query terms were found.

Pages with duplicate context strings to a page above:

- Vol. 1, No. 19 A 1y 18k <http://www.media.sbexpos.com/BULL/BUL0119.HTM>
- Alternate H 1y 18k <http://www.seyboldreport.com/BULL/BUL0119.HTM>
- ...ore than five million members Presstek floats additional stock Pearlsetters launched in Europe **NEC announces digital watermark** Oracle to include software suite with Internet box Ca... /...-BT have launched Presstek's Pearlsetters in seven European countries. Reuters reports that **NEC claims to have developed a digital watermark** system that could protect digital files... /...n members Presstek floats additional stock Pearlsetters launched in Europe **NEC announces digital watermark** Oracle to include software suite with Internet box Canon combines divisions within an I... /...ters in seven European countries. Reuters reports that **NEC claims to have developed a digital watermark** system that could protect digital files, such as still images, video and audio, from unauth...
- (<http://www.videodiscovery.com/vdyweb/dvd/dvdfaq.txt>) H 1m 118k  
<http://www.videodiscovery.com/vdyweb/dvd/dvdfaq.txt>  
...a on NTSC line 21. The digital standard (CGMS/D) is not yet finalized, but will apply to digital connections such as IEEE 1394/Firewire. 3) Because of the potential for perfect digital copies, paranoid... /...isplaying it. No unscrambled digital output is allowed until work in progress for secure digital connections is finished. On the computer side, DVD-ROM drives and video display/decoder hardware or softw... /...d a PCM audio track. (Other streams such as Dolby Digital audio, MPEG audio, and subpicture are not necessary for the simplest case.) Basic DVD control codes are also needed. At the moment it's difficul... /...doing this, but it's possible. The music industry is also requesting an "embedding signalling" or "digital watermark" copy protection feature. This applies a digital signature to the audio in the form of supposedly ...
- Hyflex J1 Launch H 3m 3k <http://jpn.co.jp/jan96/jp14.html>
- Hyflex J1 Launch H 3m 3k <http://jpn.co.jp/feb96/jp14.html>
- ... Hyflex J1 Launch **NEC Develops Digital Watermarking Technique** JPN Scientists at **NEC Research Institut...** /...nch **NEC Develops Digital Watermarking Technique** JPN Scientists at **NEC Research Institute** in Princeton, NJ, have developed a digital watermarking method that could be us... /...ary information is increasingly an issue," said Tatsuo Ishigoro, associate senior vice president of **NEC Corp.** "...I am convinced that our watermarking technique is a solution that will be welcomed espec... /... Hyflex J1 Launch **NEC Develops Digital Watermarking Technique** JPN Scientists at **NEC Research Institute** in Princeton, NJ, have de... /...ique JPN Scientists at **NEC Research Institute** in Princeton, NJ, have developed a digital watermarking method that could be used to protect the copyright of images and music on the Internet. Con... /...e is no way to track its reproduction and therefore it provides little protection against piracy. A digital watermark, however, can protect a copyright by means of an invisible identification code that is permanently...
- Internet H n/a 20k <http://net.info.nl/ui/0296/internet.html>
- ...tscape servers. Dit kwam o.a. door het feit dat bepaalde optionele onderdelen zoals een database-connector duur betaald moeten worden. Microsoft op zijn beurt deed daar weer een schepje bovenop door we... /...://www.microsoft.com/infoserve http://www.microsoft.com/windows http://www.netscape.com **NEC ontwikkelt Digital Watermark Technology** **NEC** is in zijn computerlaboratoriums bezig met een digit... /...microsoft.com/windows http://www.netscape.com **NEC ontwikkelt Digital Watermark Technology** **NEC** is in zijn computerlaboratoriums bezig met een digitaal watermerk. Dit watermerk moet in de toekomst... /...t.com/infoserve http://www.microsoft.com/windows http://www.netscape.com **NEC ontwikkelt Digital Watermark Technology** **NEC** is in zijn computerlaboratoriums bezig met een digitaal watermerk. Dit watermerk ...

Figure 7. Fifth portion of a sample response of the NECI meta search engine for the query nec and "digital watermark", showing pages which contained duplicate context strings to pages found earlier.

These documents no longer exist:

**Error** 404 Not found - file doesn't exist or is read protected [even tried multi] Digital Image Watermarking: Main Project Page <http://www.csuglab.cornell.edu/Info/People/vbadari/cs631/wmrkproj/project.html>

**Error** 404 Not found Labeling Techniques for Multimedia Data: [http://www-it.et.tudelft.nl/pda/smash/public/benelux\\_cr.html](http://www-it.et.tudelft.nl/pda/smash/public/benelux_cr.html)

**Error** 404 Not found Labeling Techniques for Multimedia Data: [http://www-it.et.tudelft.nl/pda/smash/public/benlx96/benelux\\_cr.html](http://www-it.et.tudelft.nl/pda/smash/public/benlx96/benelux_cr.html)

**Error** 404 Not Found Artisoft Inc. -- Industry Awards and Recognition <http://artisoft.com/main/overview/awards.html>

**Error** 404 File Not Found The Rutgers Review <http://electron.rutgers.edu/~nebus/>

This search: **+nec + "digital watermark"** Search engine pages: [AltaVista](#) [Page 2](#) [Page 3](#) [Excite](#) [Page 2](#) [HotBot](#) [Page 2](#) [Infoseek](#) [Lycos](#) [Northern Light](#) [Page 2](#) [WebCrawler](#) [Yahoo](#)

**Query expansion** (adding these words to the query may help): **digitally** (16) **digitized** (16) **digit** (9) **digitale** (8) **digitaal** (8) **digitization** (5) **digits** (3) **digitize** (3) **watermarking** (463) **watermarks** (127) **watermarked** (50)

| Engine                         | Response | Total      | Retrieved  | Processed  | Duplicates |
|--------------------------------|----------|------------|------------|------------|------------|
| <a href="#">AltaVista</a>      | Yes      | 29         | 29         | 29         | 11         |
| <a href="#">Excite</a>         | Yes      | 26         | 26         | 26         | 13         |
| <a href="#">HotBot</a>         | Yes      | 39         | 39         | 33         | 5          |
| <a href="#">Infoseek</a>       | Yes      | 19         | 19         | 17         | 0          |
| <a href="#">Lycos</a>          | Yes      | 10         | 10         | 10         | 0          |
| <a href="#">Northern Light</a> | Yes      | 50         | 50         | 33         | 19         |
| <a href="#">WebCrawler</a>     | Yes      | 1          | 1          | 0          | 0          |
| <a href="#">Yahoo</a>          | Yes      | 0          | 0          | 0          | 0          |
| <b>Total</b>                   |          | <b>174</b> | <b>174</b> | <b>148</b> | <b>48</b>  |

*More documents were found but the maximum number of hits was reached.*

2 terms: 70 1 term: 5 0 terms: 11 duplicate context: 9 invalid link: 5

Figure 8. Sixth (and final) portion of a sample response of the NECI meta search engine for the query **nec** and **"digital watermark"**, showing the summary information including the number of results from each individual engine, etc.

40  
Jump to: [nec \(2\)](#) [digital watermark \(2\)](#) <http://www.neci.nj.nec.com/tr/neci-abstract-95-10.html> [\[Track page\]](#)

## ■ **NECI Technical Report 95-10**

■ **NEC** Research Institute, 4 Independence Way, Princeton, NJ 08540.

### **Secure Spread Spectrum Watermarking for Multimedia**

Ingemar J. Cox, Joe Kilian, Tom Leighton, and Talal Shamoon. December 4, 1995.

We describe a ■ **digital watermarking** method for use in audio, image, video and multimedia data. We argue that a watermark must be placed in perceptually significant components of a signal if it is to be robust to common signal distortions and malicious attack. However, it is well known that modification of these components can lead to perceptual degradation of the signal. To avoid this, we propose to insert a watermark into the spectral components of the data using techniques analogous to spread spectrum communications, hiding a narrow band signal in a wideband channel that is the data. The watermark is difficult for an attacker to remove, even when several individuals conspire together with independently watermarked copies of the data. It is also robust to common signal and geometric distortions such as digital-to-analog and analog-to-digital conversion, resampling, and requantization, including dithering and recompression and rotation, translation, cropping and scaling. The same ■ **digital watermarking** algorithm can be applied to all three media under consideration with only minor modifications, making it especially appropriate for multimedia products. Retrieval of the watermark unambiguously identifies the owner, and the watermark can be constructed to make counterfeiting almost impossible. Experimental results are presented to support these claims.

Figure 9. Sample page view for the NECI meta search engine. The query terms are highlighted and the links at the top jump directly to the first occurrence of the respective query terms.




Figure 10. Simplified control flow of the meta search engine. Interactions with the page retrieval daemon are shown in gray.




Figure 11. Simplified control flow for image meta search. Interactions with the page retrieval daemon are shown in gray.



[Home](#) [Options](#) [Help](#) [Suggestions](#) [Problems](#) [NECI meta search \(13414 queries\)](#)

Find:

[Web & Usenet](#) [Web](#) [Usenet](#) [Press](#) [Images](#) [Citations](#) [Journals](#) [Tech](#) [All](#)

(Hide) Constraints

Locality:  Age limit:  Depth:  Images:

(Hide) Options:

Hits:  Context:  Cluster:  Tracking:

Searching for: koala using: [WebSeer](#) [Corel](#) [Lycos](#) [Yahoo](#) [HotBot](#) [AltaVista](#).

Tip: The bar to the left of the titles is longer when the query terms are closer together in the document.



More images were found but the maximum number of hits was reached.

Figure 12. First portion of a sample response of the NECI meta search engine for the query koala in the image databases, filtered for photos.

This search: [koala](#) Search engine pages: [AltaVista Images](#) [Corel Images](#) [HotBot Images](#) [Page 2](#) [Page 3](#) [Page 4](#) [Page 5](#) [Page 6](#) [Lycos Images](#) [Page 2](#) [Page 3](#) [Page 4](#) [Page 5](#) [WebSeer](#) [Yahoo Images](#)

| Engine                           | Response | Total       | Retrieved  | Processed  | Duplicates |
|----------------------------------|----------|-------------|------------|------------|------------|
| <a href="#">AltaVista Images</a> | Yes      | 0           | 0          | 0          | 0          |
| <a href="#">Corel Images</a>     | Yes      | 7           | 7          | 7          | 0          |
| <a href="#">HotBot Images</a>    | Yes      | 5511        | 125        | 99         | 1          |
| <a href="#">Lycos Images</a>     | Yes      | 222         | 80         | 85         | 1          |
| <a href="#">WebSeer</a>          | Yes      | 0           | 0          | 0          | 0          |
| <a href="#">Yahoo Images</a>     | Yes      | 4           | 4          | 4          | 1          |
| <b>Total</b>                     |          | <b>5744</b> | <b>216</b> | <b>195</b> | <b>3</b>   |

*More documents were found but the maximum number of hits was reached.*

Filtered due to size: 12    Filtered due to type: 21

Figure 13. Second portion of a sample response of the NECI meta search engine for the query koala in the image databases, filtered for photos.

Home Options Help Suggestions Problems NECI meta search (13413 queries)

Find:


Web Usenet Web Usenet Press Images Citations Journals Tech All

(Hide) Constraints: Locality:  Age limit:  Depth:  Images:

(Hide) Options: Hits:  Context:  Cluster:  Tracking:

Searching for: koala using: [WebSeer](#) [Corel](#) [Lycos](#) [Yahoo](#) [HotBot](#) [AltaVista](#)

Tip: You can search for links to a specific page, e.g. [link.www.neci.nj.nec.com/homepages/giles](http://link.www.neci.nj.nec.com/homepages/giles). Self links are excluded.



More images were found but the maximum number of hits was reached.

This search: koala Search engine pages: [AltaVista Images](#) [Corel Images](#) [HotBot Images](#) [Lycos Images](#) [Page 2](#) [Page 3](#) [Page 4](#) [Page 5](#) [Page 6](#) [Page 7](#) [WebSeer](#) [Yahoo Images](#)

| Engine                           | Response | Total      | Retrieved  | Processed  | Duplicates |
|----------------------------------|----------|------------|------------|------------|------------|
| <a href="#">AltaVista Images</a> | Yes      | 0          | 0          | 0          | 0          |
| <a href="#">Corel Images</a>     | Yes      | 7          | 7          | 7          | 0          |
| <a href="#">HotBot Images</a>    | Yes      | 0          | 0          | 0          | 0          |
| <a href="#">Lycos Images</a>     | Yes      | 217        | 120        | 128        | 5          |
| <a href="#">WebSeer</a>          | Yes      | 0          | 0          | 0          | 0          |
| <a href="#">Yahoo Images</a>     | Yes      | 4          | 4          | 4          | 1          |
| <b>Total</b>                     |          | <b>228</b> | <b>131</b> | <b>139</b> | <b>6</b>   |

More documents were found but the maximum number of hits was reached.

Filtered due to size: 2 Filtered due to type: 61

Figure 14. Sample response of the NECI meta search engine for the query koala in the image databases, filtered for graphics.

Clusters:

70

university of texas  
artificial neural networks  
jose nelson amaral  
classifiers kagan tumer  
department of electrical  
combined neural classifiers  
applying genetic algorithms  
hybrid intelligent architecture OR hybrid intelligent architecture AND systems  
radial basis function  
classifier boundary distributions  
estimating the bayes  
boundaries in linearly  
pattern recognition  
tx 78712  
ismail taha  
kagan pine  
international conference  
systems  
abstract  
paper  
austin  
ece  
utexas

Figure 15. Clusters for the query "joydeep ghosh".

Cluster summaries:

university of texas

**Document:**...by clicking on . Journal Papers: Ismail Taha and **Joydeep Ghosh**, "A Hybrid Intelligent Architecture and Its Application to Water Reservo... /...d to Journal of Smart Engineering Systems . Ismail Taha and **Joydeep Ghosh**, "Symbolic Interpretation of Artificial Neural Networks," submitted ... /... Austin, 1996. Conference Papers: Ismail Taha and **Joydeep Ghosh**, "Evaluation and Ordering of Rules Extracted from Feedforward Networks.... /...Also, Tech. Rep. TR-97-01-106, The Computer and Vision Research Center, **University of Texas**, Austin, 1996. Conference Papers: Ismail Taha an...

**Document:**...**Joydeep Ghosh**... /... **Joydeep Ghosh** **Joydeep Ghosh** Telephone: (512) 471-8980 Fax: (512) 471-5... /... **Joydeep Ghosh** **Joydeep Ghosh** Telephone: (512) 471-8980 Fax: (512) 471-5532 E-mail: ghosh@pin... /...Fax: (512) 471-5532 E-mail: ghosh@pine.ece.utexas.edu Address: The **University of Texas** at Austin Department of Electrical & Computer Engineering...

**Document:**...Yoan Shin and **Joydeep Ghosh** Department of Electrical and Computer... /...Yoan Shin and **Joydeep Ghosh** Department of Electrical and Computer Engineering The **University of Texas**... /...in and **Joydeep Ghosh** Department of Electrical and Computer Engineering The **University of Texas** at Austin Austin, TX 78712 Abstract This paper introduces a nov...  
...more...

artificial neural networks

**Document:**... **Artificial Neural Networks** Authors: Bryan W. Stiles and **Joydeep Ghosh** Department of Electrical and Computer Engineering The Unive... /...rsity of Texas at Austin Correspondence: Bryan Stiles c/o **Joydeep Ghosh** Department of Electrical and Computer Engineering The Unive... /...Phone: (512) 471-2358 Email: bstiles@pine.ece.utexas.edu **Joydeep Ghosh** Department of Electrical and Computer Engineering The Univ... /... A Habituation Based Mechanism for Encoding Temporal Information in **Artificial Neural Networks** Authors: Bryan W. Stiles and **Joydeep Ghosh** Department o... /...: ghosh@pine.ece.utexas.edu Submit to: Applications and Science of **Artificial Neural Networks** Steven K. Rogers and Dennis W. Ruck at AeroSense '9...

**Document:**... (eds.), IEEE Press, 1995, pp 135 - 144. Bryan W. Stiles and **Joydeep Ghosh**, "A Habituation Based Mechanism for Encoding Temporal Information in Art... /...E Proc. Vol. , Orlando, April 1995, pp. Bryan W. Stiles and **Joydeep Ghosh**, "Habituation Based Neural Classifiers for Spatio-temporal Signals", Pro... /...Proc. ICASSP-95, Detroit, May 1995, pp. Bryan W. Stiles and **Joydeep Ghosh**, "Dynamic Neural Networks for the Classification of Oceanographic Data".... /...Ghosh, "A Habituation Based Mechanism for Encoding Temporal Information in **Artificial Neural Networks**", (invited paper ) Proc. SPIE Conf. on Applications and Science of Artif... /...tworks", (invited paper ) Proc. SPIE Conf. on Applications and Science of **Artificial Neural Networks** IV, SPIE Proc. Vol. , Orlando, April 1995, pp. Bryan W. St...

**Document:**...uth.edu Larry D. Jackel Robert E. Schapire Y. Freund Kagan Tumer and **Joydeep Ghosh** Shimon Edelman Jonathan Baxter Anders Krogh and Jesper Vedelsby ... /...ftp from "ftp://eris.wisdom.welzmann.ac.il/pub/mam.ps.Z" Kagan Tumer and **Joydeep Ghosh**, "Theoretical Foundations of Linear and Order Statistics Combiners for Ne... /...When Networks Disagree: Ensemble Methods for Neural Networks", Chapter 10, **Artificial Neural Networks** for Speech and Vision, editor R.J. Mammone. Chapman-Hall. London 1993 M....

...more...

Figure 16. The first two cluster summaries for the query "joydeep ghosh".



# HUSKY SEARCH

Query: (joydeep ghosh)

Documents: 102, Clusters: 14, Average Cluster Size: 11.21 documents


76

| Document Group            | Size | Phrase and Sample Document Titles   |
|---------------------------|------|---|
| <a href="#">Cluster 1</a> | 19   | Artificial (74%), Hybrid intelligent (32%), domain knowledge (26%)<br><a href="#">ORGANIZING COMMITTEE</a><br><a href="#">Untitled</a><br><a href="#">Abstract</a><br><a href="#">Abstract</a><br><a href="#">Untitled</a>  |
| <a href="#">Cluster 2</a> | 7    | Click on to view the abstract and on to obtain a postscript copy... (71%), postscript copy of the full paper (100%), paper is currently not available. (57%)<br><a href="#">Kagan Tumer's Publications</a><br><a href="#">Classification</a><br><a href="#">Working Papers</a><br><a href="#">Refereed Archival Journal Publications (Full/Regular Papers)</a><br><a href="#">Technical Reports</a> |
| <a href="#">Cluster 3</a> | 15   | Kagan tumer (100%), NEURAL CLASSIFIERS Kagan Tumer and Joydeep ghosh (27%), pattern classifiers (20%), tumer (53%)<br><a href="#">Untitled</a><br><a href="#">Untitled</a><br><a href="#">Abstract</a><br><a href="#">Abstract</a><br><a href="#">Abstract</a>  |
| <a href="#">Cluster 4</a> | 8    | of Electrical and Computer (88%)<br><a href="#">Untitled</a><br><a href="#">Untitled</a><br><a href="#">LANS Home Page</a><br><a href="#">Joydeep Ghosh</a><br><a href="#">LANS Home Page</a>   |
| <a href="#">Cluster 5</a> | 31   | e.ece (32%), RESEARCH & EDUCATIONAL RESOURCES/ ORGANIZATIONS/ centers (10%), of Texas (10%), er (81%)<br><a href="#">Untitled</a><br><a href="#">Untitled</a><br><a href="#">Batch 92 Chemical Engineering</a><br><a href="#">LANS Home Page</a><br><a href="#">Joydeep Ghosh</a>   |
| <a href="#">Cluster 6</a> | 12   | University of Texas at austin (50%), University of texas (67%), texas (100%)<br><a href="#">Untitled</a><br><a href="#">Untitled</a><br><a href="#">LANS Home Page</a><br><a href="#">Joydeep Ghosh</a><br><a href="#">Joydeep Ghosh</a>  |
| <a href="#">Cluster 7</a> | 3    | ters. Journal (100%)<br><a href="#">LANS Home Page</a><br><a href="#">Refereed Archival Journal Publications (Full/Regular Papers)</a><br><a href="#">Refereed Archival Journal Publications (Full/Regular Papers)</a>  |

Figure 17. First part of the clusters for the query "joydeep ghosh" from HuskySearch.

| Document Group     | Size | Phrase and Sample Document Titles  |
|--------------------|------|--|
| <u>Cluster 8</u>   | 16   | papers (100%)<br>Kagan Tumer's Publications<br>Classification<br>Kurt's Publications<br>Working Papers<br>Refereed Archival Journal Publications (Full/Regular Papers)         |
| <u>Cluster 9</u>   | 2    | ons. Books (100%)<br>LANS Home Page<br>Books/Proceeding... (Edited)  |
| <u>Cluster 10</u>  | 8    | (100%)<br>LANS Home Page<br>Associated Members<br>LANS Home Page<br>Associated Members<br>No Title   |
| <u>Cluster 11</u>  | 4    | s, Austin (100%)<br>Untitled<br>LANS Home Page<br>LANS Home Page<br>No Title   |
| <u>Cluster 12</u>  | 11   | combining (100%), outputs (64%)<br>Abstract<br>Abstract<br>Abstract<br>Untitled<br>Abstract  |
| <u>Cluster 13</u>  | 8    | ted (100%)<br>LANS Home Page<br>Kagan Tumer's Publications<br>CIS Publications Database<br>Kurt's Publications<br>Refereed Archival Journal Publications (Full/Regular Papers) |
| <u>Cluster 14</u>  | 13   | e (100%)<br>LANS Home Page<br>Joydeep Ghosh<br>JOYDEEP GHOSH<br>Joydeep Ghosh<br>LANS Home Page  |
| <u>Unclustered</u> | 3    | Musical Events n Mumbai<br>Batch-Wise Mailing Lists and Home Pages for IITK<br>Publicações de José Nelson Amaral   |

Figure 18. Second part of the clusters for the query "joydeep ghosh" from HuskySearch.



[Help](#) . [Preferences](#) . [New Search](#) . [Advanced Search](#)

[Our Network](#) | [Add/Remove URL](#) | [Feedback](#) | [Help](#)  
[Advertising Info](#) | [About AltaVista](#) | [Jobs](#) | [Text-Only](#)



**Digital Equipment Corporation**

[Disclaimer](#) | [Privacy Statement](#)  
 Copyright 1997 © All Rights Reserved



Figure 19. Clusters for the query "joydeep ghosh" from AltaVista.



Clusters:

artificial neural networks  
networks neural networks  
ieee international conference  
university of texas  
pacific northwest laboratory  
recurrent neural networks  
nnw in hep  
pacific northwest national  
university of california  
austrian research institute  
self organizing map  
northwest national laboratory  
artificial intelligence  
pattern recognition  
research group  
international conference  
fuzzy logic  
san diego  
genetic algorithms  
ieee transactions  
signal processing  
pacific northwest  
technical report  
machine learning  
data  
nets  
ai  
software

7

## Clusters:

carpal tunnel syndrome  
 repetitive stress injuries  
 software monitoring tools  
 contain useful advice  
 repetitive strain injuries  
 san jose state OR san jose state AND archive  
 kinds of documents  
 university of nebraska  
 htm diana carroll  
 products include split  
 dan wallach  
 keyboard alternatives  
 interest finder OR browse groups  
 human factors  
 tifaq general  
 injuries  
 related  
 archive  
 resources  
 contain useful advice AND resources OR contain useful advice AND keyboard alternatives  
 repetitive stress injuries AND keyboard alternatives  
 repetitive stress injuries AND dan wallach

86

## carpal tunnel syndrome

Document: ...FAQ - **Typing Injury** ... /... **Typing Injury** FAQ Home Page [TIFAQ] [General] [Keyboards] [Speech] [Mice] [Sof... ..FAQ - **Typing Injury** ... /... **Typing Injury** FAQ Home Page [TIFAQ] [General] [Keyboards] [Speech] [Mice] [Software] ... /...Injury Archive. sources of information for people with **typing injuries**, **repetitive stress injuries**, **carpal tunnel syndrome**, etc.. The TIFAQ is targeted at computer users suffering at the hands of their equipment. You...

Document: ... JXM's Ergonomics Page is a site by John Murray at University of Michigan that focuses on **typing injuries**, **carpal tunnel syndrome** and design concepts. Office Working Postures is a comme... /...eral links to various safety oriented servers, lists, and newsgroups. You do the searching. **Typing Injuries** is everything you ever wanted to know about **typing injuries** by Dan Wallach at Princeton... /... Princeton. Lots of publications and links. Everything you wanted to know and more. **Typing Injury Archive** is a **typing injury** library by Dan Wallach at Princeton. Here you will find a well cate... /...ons and links. Everything you wanted to know and more. **Typing Injury Archive** is a **typing injury** library by Dan Wallach at Princeton. Here you will find a well categorized list of **typing injury** ... /... and Ergonomics Home Page links to several ergonomic sites that focus on safety issues, such as: **carpal tunnel syndrome**, back injuries, air quality, sick building syndrome, and lighting. Lawrence Livermore Lab ... /...al technology and human factors engineering. Mostly in-house work but an interesting site. **Carpal Tunnel Syndrome** is a commercial site but does have lots of references to CTS. Specific emphasis is on keyboard...

Document: ...at the keyboard. Site offers Time Out For Windows, an ergonomic exercise break program. **Typing Injury FAQ** : This is the home page for the **Typing Injury** FAQ and **Typing Injury** Archive. ... /... an ergonomic exercise break program. **Typing Injury FAQ** : This is the home page for the **Typing Injury** FAQ and **Typing Injury** Archive 'NEW' University of Minnesota Office Ergonomics... /...are, how one gets them, and some guidelines for how one may help heal oneself from this devastating injury. **Carpal Tunnel Syndrome & Repetitive Stress Computer Related Repetitive Strain Injury** : I hope on this page to provide a very brief introduction to RSI for the benefit of students who... /...ern, and some guidelines for how one may help heal oneself from this devastating injury. **Carpal Tunnel Syndrome & Repetitive Stress Computer Related Repetitive Strain Injury** : I hope on this page t... /...pause helps you avoid OOS / RSI with Micropauses and Exercise Breaks. Patient's Guide to **Carpal Tunnel Syndrome** : The following documents attempt to explain what **Carpal Tunnel Syndrome** is, how it is diagnosed ...

Document: ...**Typing Injury** FAQ: General Information... /... **Typing Injury** FAQ: General Information General Information [TIFAQ] [General] [Key... ..**Typing Injury** FAQ: General Information... /... **Typing Injury** FAQ: General Information General Information [TIFAQ] [General] [Keyboards]... /...onym for RSI WRU LD Work-Related Upper Limb Disorders - yet another synonym for RSI CTS **Carpal Tunnel Syndrome** (see below) Hyperextension Marked bending at a joint. Pronation Turning the palm down... /...over the wrist and forearm, some tenderness and it gets worse with repetitive activity. **Carpal Tunnel Syndrome** the nerves that run through your wrist into your fingers get trapped by the inflamed mu...  
 ...more...

Figure 21. Clusters produced by the NECI meta search engine for the query typing and injury along with the first cluster summary.

Home Options Help Suggestions Problems NECI meta search (14083 queries)

Find:

Web & Usenet Web Usenet Press Images Citations Journals Tech All

(Show) Constraints (Hide) Options

Hits:  Context:  Cluster:  Tracking:

Searching for: "**NASDAQ stands for**" "**NASDAQ is an abbreviation**" "**NASDAQ means**" using: HotBot Infoseek AltaVista Excite Lycos Northern Light Yahoo WebCrawler.

Tip: For better precision with multiple terms you might like to use "+" to ensure that the results contain specific terms (e.g. +lee giles +optics).

Ref:...viation for the New York Stock Exchange AMEX is an abbreviation for the American Stock Exchange  
**NASDAQ is an abbreviation** for the National Association of Securities Dealers Automatic Quotation Exchange "Top 5% of the ...  
 Ref:...nformation on NASDAQ and the companies traded thereon. (Incidentally, does anyone know what **NASDAQ stands for**?) NYSE All about the New York Stock Exchange. Data mongers loo...  
 Ref:... The NASDAQ Last-Revised: 25 Oct 1996 From: billmanr@aol.com , jeffwben@aol.com , cml@cs.umd.edu  
**NASDAQ is an abbreviation** for the National Association of Securities Dealers Automated Quotation system. It is also commonl...  
 Ref:... NASDAQ Last-Revised: 25 Oct 1996 From: billmanr@aol.com , jeffwben@aol.com , lott@invest-faq.com  
**NASDAQ is an abbreviation** for the National Association of Securities Dealers Automated Quotation system. It is also commonl...  
 Ref:...ble for the operation and regulation of the NASDAQ stock market and overthecounter markets. **NASDAQ Stands for** the National Association of Securities Dealers Automated Quotation System. A nationwide computeri...  
 Ref:...site Index is a value weighted index that monitors more than 2,000 stocks traded over-the-counter. **NASDAQ stands for** National Association of Securities Dealers Automated Quotations. It has been available since 1971...  
 Ref:...as an incentive stock option under Section 422 of the Code. (k) "**NASDAQ**" **means** the National Association of Securities Dealers, Inc. Automated Quotation System...

[ ...section deleted... ]

This search: "**NASDAQ stands for**" "**NASDAQ is an abbreviation**" "**NASDAQ means**" Search engine pages:  
 AltaVista Excite HotBot Infoseek Lycos Northern Light WebCrawler Yahoo

| Engine         | Response | Total | Retrieved | Processed | Duplicates |
|----------------|----------|-------|-----------|-----------|------------|
| AltaVista      | Yes      | 9     | 9         | 9         | 1          |
| Excite         | Yes      | 24    | 24        | 24        | 1          |
| HotBot         | Yes      | 23    | 23        | 23        | 4          |
| Infoseek       | Yes      | 5     | 5         | 5         | 0          |
| Lycos          | Yes      | 0     | 0         | 0         | 0          |
| Northern Light | Yes      | 0     | 0         | 0         | 0          |
| WebCrawler     | Yes      | 0     | 0         | 0         | 0          |
| Yahoo          | Yes      | 0     | 0         | 0         | 0          |
| Total          |          | 61    | 61        | 61        | 6          |

3 terms: 0 2 terms: 0 1 term: 26 0 terms: 9 duplicate context: 14 cannot access: 3 invalid link: 3

Figure 22. NECI meta search engine response for the query What does NASDAQ stand for?

Infoseek found 23,064,238 pages containing at least one of these words: what does NASDAQ stand for?

| Related Topics   | Search Results 1 - 10  |
|--|--|
| <ul style="list-style-type: none"> <li>Stocks</li> <li>Personal investment</li> <li>Brokerages with online trading</li> <li>Financial market analysis</li> </ul> | <p><a href="#">Hide Summaries</a>   <a href="#">next 10</a></p> <p><b>Stock Research NASDAQ - are you a shrewd investor? FREE copy of the best</b><br/>           Stock Research NASDAQ - are you a shrewd investor? FREE copy of the best Stock Research NASDAQ. Be ahead of the Market, Stock Research NASDAQ that always call it right. Our ...<br/>           72% <a href="http://www.updatenews.com/key/investresearch/">http://www.updatenews.com/key/investresearch/</a> (Size 5.3K)</p> <p><b>CyberLand HQ</b><br/>           CyBerCorp designs and develops real-time decision support, execution and trading systems for NASDAQ stock market traders. Be sure to check out CyBerTrader.<br/>           63% <a href="http://www.cyber-corp.com/">http://www.cyber-corp.com/</a> (Size 4.0K)</p> <p><b>InvestQuest® AMUSEMENT &amp; RECREATION SERVICES</b><br/>           AMUSEMENT &amp; RECREATION SERVICES. [InvestQuest® Home] Company List Industries Company Search] ALLIANCE GAMING CORP (NASDAQ:ALLY) ALPHA HOSPITALITY CORP (NASDAQ:ALHY) AMERICAN ...<br/>           63% <a href="http://www.investquest.com/html/79_industry.htm">http://www.investquest.com/html/79_industry.htm</a> (Size 11.9K)</p> <p><b>InvestQuest® INSURANCE CARRIERS</b><br/>           INSURANCE CARRIERS. [InvestQuest® Home] Company List Industries Company Search] 20TH CENTURY INDUSTRIES (NYSE:TW) ACCEL INTERNATIONAL CORP (NASDAQ:ACLE) ACCEPTANCE INSURANCE ...<br/>           62% <a href="http://www.investquest.com/html/63_industry.htm">http://www.investquest.com/html/63_industry.htm</a> (Size 26.8K)</p> <p><b>InvestQuest® WHOLESALE TRADE--DURABLE GOODS</b><br/>           WHOLESALE TRADE--DURABLE GOODS. [InvestQuest® Home] Company List Industries Company Search] AAR CORP (NYSE:AIR) ABATIX ENVIRONMENTAL CORP (NASDAQ:ABIX) ACE HARDWARE CORP ...<br/>           62% <a href="http://www.investquest.com/html/50_industry.htm">http://www.investquest.com/html/50_industry.htm</a> (Size 24.2K)</p> <p><b>Stocks by Symbol- C</b><br/>           Stocks by Symbol - C. C (NYSE) Chrysler CA (TSE) Canadian Airlines CANOTC%3AMGIS (OTC) Magisoft Software Corp. CAWS+ (NASDAQ) CAI Wireless Systems Inc. CBMI (NASDAQ) Creative ...<br/>           62% <a href="http://stockclub.com/stocks/symbol-c-index.html">http://stockclub.com/stocks/symbol-c-index.html</a> (Size 9.6K)</p> <p><b>Stocks by Company Name - A</b><br/>           A+ Communications (NASDAQ:ACOM) A. G. Edwards (NYSE:AGE) Abatix Environmental (NASDAQ:ABIX) access health (NASDAQ:ACCS) acclaim (NASDAQ:AKLM) Ackerley Communications (NASDAQ:AK) ...<br/>           62% <a href="http://stockclub.com/stocks/name-a-index.html">http://stockclub.com/stocks/name-a-index.html</a> (Size 8.5K)</p> <p><b>InvestQuest® RUBBER AND MISC. PLASTICS PRODUCTS</b><br/>           RUBBER AND MISC. PLASTICS PRODUCTS. [InvestQuest® Home] Company List Industries Company Search] ADVANCED MATERIALS GROUP INC (NASDAQ:ADMG) AEP INDUSTRIES INC (NASDAQ:AEPI) ...<br/>           62% <a href="http://www.investquest.com/html/30_industry.htm">http://www.investquest.com/html/30_industry.htm</a> (Size 10.6K)</p> <p><b>InvestQuest® FABRICATED METAL PRODUCTS</b><br/>           FABRICATED METAL PRODUCTS. [InvestQuest® Home] Company List Industries Company Search] AAVID THERMAL TECHNOLOGIES INC (NASDAQ:AATT) ABC RAIL PRODUCTS CORP (NASDAQ:ABCR) ABS ...<br/>           62% <a href="http://www.investquest.com/html/34_industry.htm">http://www.investquest.com/html/34_industry.htm</a> (Size 13.3K)</p> <p><b>InvestQuest® ENGINEERING &amp; MANAGEMENT SERVICES</b><br/>           ENGINEERING &amp; MANAGEMENT SERVICES. [InvestQuest® Home] Company List Industries Company Search] ADVANCED DETECTORS INC (OTC Bulletin Board:3ADET) AERO SYSTEMS ENGINEERING INC ...<br/>           62% <a href="http://www.investquest.com/html/87_industry.htm">http://www.investquest.com/html/87_industry.htm</a> (Size 15.8K)</p> <p><a href="#">Hide Summaries</a>   <a href="#">next 10</a></p> |

Figure 23. Response of Infoseek for the query What does NASDAQ stand for?

94

Home Options Help Suggestions Problems NECI meta search (13581 queries)

Find:

Web Usenet Web Usenet Press Images Citations Journals Tech All

(Show) Constraints

(Hide) Options

Hits:  Context:  Cluster:  Tracking:

Searching for: "rainbow is created" "makes a rainbow created" "rainbow is produced" "rainbow is made"  
using: HotBot Infoseek AltaVista Excite Lycos Northern Light Yahoo WebCrawler

Tip: For better precision with multiple terms you might like to use "+" to ensure that the results contain specific terms (e.g. + "lee giles" +optics).

Ref:... the green flash. it helps to know how our atmosphere effects sunlight. Coincidentally, the phenomenon responsible for the green flash is also the one that paints rainbows across Hawaii's sky. A **rainbow is created** when rays of sunlight enter a raindrop, bounce around inside, and exit. Light from the sun consists of a potpourri of colors that are each bent by a different amount inside a raindrop. This unequa...

Ref:...scapes the raindrop after it is reflected once. A part of the ray is reflected again and travels along inside the drop to emerge from the drop. The rainbow we normally see is called the primary **rainbow and is produced** by one internal reflection the secondary rainbow arises from two internal reflections and the rays exit the drop at an angle of 50 degrees rather than the 42degrees for the red primary bow. ...

Ref:...e rainbow we do not see the sun, and we rarely see a rainbow in winter. How do we explain this appearance of a bow, double bows, size of arc, and brightness of the rainbow? Answer The **rainbow is produced** by sunlight passing through a raindrop or a collection of rain drops. A typical raindrop is spherical and as a light ray strikes the surface of the raindrop, some light is reflected and some passes ...

Ref:...se to us. He promised that the earth will never be destroyed again by a flood. As a sign of that promise He put a rainbow in the sky. Whenever we see a rainbow, we can think of God's promise. The **rainbow is made** up of all the colors. Back To Index Next Page... Page 1 ...

Ref:...two rainbows, the narrower male rainbow and the wider female. The male rainbow can not stop the rain by itself. When it is followed by the female the rain stops. Other Native Americans believe the **rainbow is made** from the souls of wild flowers that lived in the forest and lilies from the prairies. A Japanese myth tells of the first man Isanagi and the first woman Isanami who stood on the floating bri... /...te of samsara before the clear light of Nirvana or heaven. In Arabia the rainbow is a tapestry draped by the hands of the south wind. It is also called the cloud's bow or Allah's bow. In Islam the **rainbow is made** up of four colors red, yellow, green and blue related to the four elements. In myths of India the Goddess Indra not only carries a thunderbolt like the Greek God Zeus but she also carries a ...

Ref:... true b. false 13. The average speed of light is greatest in \_ . a. red glass. b. orange glass. c. green glass. d. blue glass. e. is the same in all of these. 14. The secondary **rainbow is produced** with an extra (choose the best answer) a. dispersion. b. reflection. c. refraction. d. diffraction. 15. If a person has green cones that are weak, then yellow light will appea \_ to t...

Ref:...ever wonder what makes the color in a rainbow ? The answer is sunlight. it has all of the colors of the rainbow in it, but they are all mixed up together so you are not a ble to see them. The **rainbow is made** up of drops of water. When sunlight passes through a drop of water, it bends and the colors inside the light split apart and are separated so that we can see them When the sunlight passes through...

[ ...section deleted... ]

Figure 24. NECI meta search engine response for the query How is a rainbow created?

Infoseek found 20,594,341 pages containing at least one of these words: how is a rainbow created?

## Related Topics

Photos  
 12/18.htm

## Search Results 1 - 10

[Hide Summaries](#) | [next 10](#)

**Hayden Books: Creative Techniques**

Creative Techniques brought to you by Hayden Books Working with Layers: Creating a Rainbow Effect Art by Gary Poyssick  
 Comments: This tip shows you how to use layers and Photoshop's ...

64% <http://www.mcp.com/169470081705120/hayden/series/techniques/52/index.html> (Size 4.2K)

**Rainbow Sports Networks and The Sporting News Create Alliance**

World Data Web Connect InsideMedia August 16, 1996 Rainbow Sports Networks and The Sporting News Create Alliance  
 Rainbow Programming Holdings' sports networks - NewSport, Prime and ...

64% <http://www.mediacentral.com/Magazines/InsideMedia/News/1996081601.htm/Default> (Size 3.9K)

**Hayden Books: Creative Techniques**

Creative Techniques brought to you by Hayden Books Working with Layers: Creating a Rainbow Effect Art by Gary Poyssick  
 Comments: This tip shows you how to use layers and Photoshop's ...

64% <http://www.mcp.com/18229751149932/hayden/series/techniques/52/index.html> (Size 4.2K)

**Rainbow Warriors?**

Rainbow Warriors? Hacker All the colors of the rainbow... The appropriate excerpt from the alt.2600 FAQ. You are left on your own recognizance

63% <http://www.jbcloos.com/sjgames/hacker/chroma.html> (Size 3.8K)

**Pet Loss and Rainbow Bridge**

Rainbow Bridge and Pet Loss grief pages, may post poems, photos, tributes or just stop by and be comforted.

62% <http://www.primenet.com/~meggie/bridge.htm> (Size 46.2K)

**The sky's the limit: student activities**

We all see something different when we look up to the sky. The clouds often stir our imagination allowing us to see animated images being formed by those mysterious "puffs of ...

62% <http://www.solutions.ibm.com/k12/teacher/cloudss.html> (Size 9.6K)

**Asymetrix 3D F/Xtm Drag and Drop 3D for Windows screenshot Create**

high-quality, professionally rendered three-dimensional images and animations with Asymetrix 3D F/X. You can easily add dazzling 3-D effects and sophisticated animation to any ...

62% <http://3dsite.com/3dsite/cgi/software/asymetrix/3dfx.htm> (Size 6.9K)

**Rainbow Video Authoring Services**

CD-ROM Authoring and Web Development Services. Not satisfied with offering the best in regional video production, Rainbow Video offers complete CD-ROM authoring services for both the ...

61% <http://www.rainbowvideo.com/author.htm> (Size 2.7K)

**Bio**

Bio [TOC Icon][Feedback Icon] photo by Wink Van Kempen Fred Stern The Rainbow Maker Fred Stern was raised in New York and is an acknowledged innovator in environmental art. He has ...

61% <http://www.zianet.com/rainbow/bio.htm> (Size 4.1K)

**Oregon Department of Fish and Wildlife Weekly Fishing Report**

Oregon Department of Fish and Wildlife. Now sorted by zones!. Updated: August 7, 1997. \* Denotes scheduled stocking Zones. Northwest Zone | Southwest Zone | Willamette Zone | ...

60% <http://www.dfw.state.or.us/ODFWhtml/RecReports/Fishing.html> (Size 40.5K)

[Hide Summaries](#) | [next 10](#)

Figure 25. Response of Infoseek for the query How is a rainbow created?

|   |                          |                      |                             |                          |  |
|---|--------------------------|----------------------|-----------------------------|--------------------------|--|
| <a href="#">Home</a>  | <a href="#">Options</a>  | <a href="#">Help</a> | <a href="#">Suggestions</a> | <a href="#">Problems</a> | <a href="#">NECI meta search (13584 queries)</a> |
| Find: <input type="text" value="what is a mealy machine?"/>   |                          |                      |                             |                          |  |
| <a href="#">Web</a>   | <a href="#">Usenet</a>   | <a href="#">Web</a>  | <a href="#">Usenet</a>      | <a href="#">Press</a>    | <a href="#">Images</a>                           |
| <a href="#">Citations</a>   | <a href="#">Journals</a> | <a href="#">Tech</a> | <a href="#">All</a>         |                          |  |
| (Show)  | Constraints              |                      |                             |                          |  |
| (Hide)  | Options                  |                      |                             |                          |  |
| Hits: <input type="text" value="100"/> Context: <input type="text" value="200"/> Cluster: <input type="text" value="No"/> Tracking: <input type="text" value="No"/> |                          |                      |                             |                          |  |

Searching for: "**mealy machine is**" "**mealy machine refers to**" "**mealy machine means**" "**mealy machine will**" "**mealy machine helps**" using: [HotBot](#) [Infoseek](#) [AltaVista](#) [Excite](#) [Lycos](#) [Northern Light](#) [Yahoo](#) [WebCrawler](#).

Tip: For better precision with multiple terms you might like to use "+" to ensure that the results contain specific terms (e.g. +**"lee giles"** +optics).

Ref:...k. such that all state memory changes are made with respect to the clock signal. T F A Moore machine usually has less states than an equivalent Mealy machine. T F A potential problem with a **Mealy Machine** is that the output changes are not synchronized with clock changes. Fill in the blanks. 10 points at 2 points per blank The canonical SOP form of an expression results in a level circuit. ...

Ref:... input alphabet and by creating multiple input mechanisms for reading events. Second, the transition function must be modified so that controller tasks can be performed during state transitions. A **Mealy machine** is a DFA that defines symbols which are output during state transitions. For the current purpose, a similar mechanism is used to perform controller tasks such as moving a robot, opening a vise of fi...

Ref:... these general premises to the Collatz conjecture, which of all open problems at the moment is perhaps the most conveniently conducive to the approach. = Generalized Sequential Machines, GSMs A **Mealy machine** is a Finite State Automaton with a single output symbol associated with each state transition (e.g. see [1. p.42]). A GSM or Generalized Sequential Machine is similar it is a FSA with an output strin...

Ref:... next state which then effect the output. (State refers to all latched events and values.) Argument for **Mealy** is that the output depends on the transition, thus ignoring the buffers, the CFSM is a **Mealy machine**. (Will explore this more later.) Issues concerning composition have not been resolved by the Polis group, there is no composition as it stands. Resources A Formal Methodology for Hardware/Softwar...

Ref:... State Machines We consider two types of state machines. Moore and Mealy. A Moore machine is a Mealy machine whose output does not directly depend on its input. Mealy Machines A **Mealy Machine** is a 6-tuple  $M = (S, D, Q, q_0, D(a,q), l(a,q))$  where  $S \neq \emptyset$  is a finite set of input symbols (we will use  $a$  to denote a particular input symbol)  $D \neq \emptyset$  is a finite set...

Ref:...ving on state register flip-flops, it is still desirable to use them. This leads to alternative synchronous design styles for Mealy machines. Simply stated, the way to construct a synchronous **Mealy machine** is to break the direct connection between inputs and outputs by introducing storage elements. One way to do this is to synchronize the Mealy machine outputs with output flip-flops. See Figure 8...

Ref:...itions. A FSA is called non-deterministic if there is one or more transitions from one state to another for a given input. A Moore machine is an FSA which associates an output with each state and a **Mealy machine** is an FSA which associates an output with each transition. The Moore and Mealy FSAs are important in applications of FSAs.

Equivalence of deterministic and non-deterministic fsa It might seem ...

Ref:...icle, and you, will make use of this three-block model to describe a state machine in VHDL using our four-step design procedure. Moreover, the outputs of a state machine define its type. That is, a **Mealy machine** is one in which the outputs are a function of both the inputs and the current state-variables (Figure 1). A Moore machine has outputs that are a function of the state-variables only (Figure 2). And a M...

Ref:... 60 Bestudeer van module 1.1 de blz.7 t/m blz.13 grondig. 20 Als u niet (of niet meer zo goed) weet wat een toestandsmachine, een toestandsdiagram, een Moore- of een **Mealy-machine** is, zoek dan wat u niet (meer) weet op in uw boek(en) over digitale techniek. 30. Maak de oefenopdracht van blz.13 10 Lees de rest van module 1.1 oppervlakkig ...

[ ...section deleted... ]

Figure 26. NECI meta search engine response for the query What is a mealy machine?

102

Home Options Help Suggestions Problems NECI meta search (13674 queries)

Find:

Web & Usenet Web Usenet Press Images Citations Journals Tech All

(Show) Constraints:

(Hide) Options:

Hits:  Context:  Cluster:  Tracking:

Tip: Clicking on the search engine links in the "Searching for:" line will show the search engine response to the current query.

#### Recently modified URLs:

Page <ftp://ftp.kernel.org/pub/linux/kernel/testing/> [Stop tracking URL]

#### Recent documents matching: signafy [Mark as seen] [Stop tracking query]

INFORMIX-Universal Server Powers Comprehensive Media Asset Management Package From Virage; ... NW n/a 12k  
<http://www.infoseek.com/Content?arn=BW1674-19970915&qt=signafy&col=NX&nh=25&kt=A&ak=allnews>  
 ... Group The Content Group, Excalibur Technologies Corp. Muscle Fish, LLC Silicon Graphics, Inc. Signafy , Inc.  
 TECHMATH GmbH and TATA Consultancy Services. About INFORMIX-Universal Server INFORMIX-Un...

INFORMIX-Universal Server Powers Comprehensive Media Asset Management II n/a 13k  
<http://www.infoseek.com/Content?arn=ix.BWIR1997091521525176X&qt=signafy&col=IX&nh=25&kt=A&ak=industrynews>  
 ...roup The Content Group, Excalibur Technologies Corp. Muscle Fish, LLC Silicon Graphics, Inc. Signafy , Inc.  
 TECHMATH GmbH and TATA Consultancy Services. About INFORMIX-Universal Server I...

#### Today at NECI

|      |  |
|------|--|
| 9:00 | NJ Prog. Language Workshop - Multipurpose Rooms 2F00 2F01, 2nd Floor, (AW) |
| OUT  | Ebbesen, Gottlieb, de Ruyter, Thornber                                     |

#### Recent articles about NEC Research in the press:

NEC Research Promises Terabit Memory Chips NT n/a 20k <http://www.techweb.com:80/wire/news/1997/09/0911nec.html>  
 ...NEC Research Promises Terabit Memory Chips ... /... NEC Research Promises Terabit Memory Chips ... /... Chips  
 International NEC Research Promises Terabit Memory Chips (09/11/97 12:00 p.m. EDT) By John Boyd , ...

[...section deleted...]

Figure 27. Sample home page showing new hits for a query and recently modified URLs.



<http://www.research.digital.com/SRC/publications/src-papers.html> New text:

1. Paul McJones and John DeTreville. Each to Each programmer's reference manual. Technical Note 1997-023, Digital Equipment Corporation Systems Research Center, Palo Alto, CA, October 1997.

What's New

Articles

Projects

Publications

Software

Past Work

Directions

Find People

## SRC Publications List

1. Paul McJones and John DeTreville. Each to Each programmer's reference manual. Technical Note 1997-023, Digital Equipment Corporation Systems Research Center, Palo Alto, CA, October 1997.
2. Monika Henzinger and Han La Poutre. Certificates and fast algorithms for biconnectivity in fully-dynamic graphs. Technical Note 1997-021, Digital Equipment Corporation Systems Research Center, Palo Alto, CA, September 1997.
3. Monika Henzinger. Improved data structures for fully dynamic biconnectivity. Technical Note 1997-020, Digital Equipment Corporation Systems Research Center, Palo Alto, CA, September 1997.
4. Monika Henzinger and Valerie King. Maintaining minimum spanning trees in dynamic graphs. Technical Note 1997-019, Digital Equipment Corporation Systems Research Center, Palo Alto, CA, September 1997.
5. Marc Brown, Marc A. Najork, and Roope Raisamo. A Java-based implementation of Collaborative Active Textbooks. In *1997 IEEE Symposium on Visual Languages*, pages 372-379. IEEE Computer Society, September 1997. ([PDF](#)), ([PostScript](#)), ([Copyright 1997 IEEE](#)).

[...section deleted...]

Digital Systems Research Center

130 Lytton Avenue, Palo Alto, CA 94301  
Tel: (415) 853-2100 Fax: (415) 853-2104



[Legal notice](#)

Send [comments](#) to the owner of this page.  
Last modified: Tuesday, 07-Oct-97 10:32:46 PDT

Copyright Digital Equipment Corporation 1995-1997. All Rights Reserved.

Figure 28. Sample page view showing the text which has been added to the page since the last time it was viewed.




Figure 29. Coverage of each engine with respect to the combined coverage of all 6 (averaged over 500 queries).




Figure 30. Coverage as the number of search engines is increased (averaged over 500 queries). The extrapolation is created using the assumption that the coverage increases logarithmically with the number of search engines. Significantly more documents are returned as the number of search engines is increased.




Figure 31. In order to estimate the size of the indexable Web (the Web excluding pages not considered by the search engines), we compare the overlap between engines to the number of documents returned from all 6 engines combined.




Figure 32. Coverage of each engine with respect to the estimated size of the indexable Web (the estimate is expected to be lower than the true value).




Figure 33. Histograms of the major search engine response times, continued in the next figure.




Figure 34. (Continued from the previous figure) Histograms of the major search engine response times (above, in seconds), and a histogram of the response time for the first response when queries are made to the six engines simultaneously (below, created from 10,000 samples drawn from the previous distributions). The frequency is normalized so that it represents the percentage of responses that fall within each section of the histogram. The last section of the histograms also contains all samples with longer times.

000007"24648350




Figure 35. Median time for the Web search engines to respond.




Figure 36. Median time for the first of  $n$  Web search engines to respond.




Figure 37. Response time for arbitrary Web pages.




Figure 38. Median time to download the first of  $n$  pages requested simultaneously.




Figure 39. Time for the meta engine to display the first result.

Express Mail Label No.

Page 1 of 3

Docket No.

11379

# Declaration and Power of Attorney For Patent Application

## English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**META SEARCH ENGINE**

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as United States Application No. or PCT International Application Number \_\_\_\_\_ and was amended on \_\_\_\_\_

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐



I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

60/062,958

October 10, 1997

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Stephen D. Murphy; Reg. No. 22,002

Leopold Presser; Reg. No. 19,827

William C. Roch; Reg. No. 24,972

Kenneth L. King; Reg. No. 24,223

Frank S. DiGiglio; Reg. No. 31,346

Paul J. Esatto, Jr.; Reg. No. 30,749

John S. Sensny; Reg. No. 28,757

Mark J. Cohen; Reg. No. 32,211

Richard L. Catania; Reg. No. 32,608

Donald T. Black; Reg. No. 27,999

Philip J. Feig; Reg. No. 27,328

Andrew G. Isztwan; Reg. No. 40,028

Send Correspondence to: Paul J. Esatto, Jr., Esq.  
Scully, Scott, Murphy & Presser  
400 Garden City Plaza  
Garden City, New York 11530

Direct Telephone Calls to: (name and telephone number)  
Paul J. Esatto, Jr. Esq. at (516) 742-4343

Full name of sole or first inventor

Stephen R. Lawrence

Sole or first inventor's signature

Date

JULY 10, 1998

Residence

New York, New York

Citizenship

Australia

Post Office Address

235 West 48th Street, Apartment 11B

New York, New York 10036

Full name of second inventor, if any

C. Lee Giles

Second inventor's signature

Date

7/10/98

Residence

Lawrenceville, New Jersey 08648

Citizenship

United States of America

Post Office Address

37 Woodlane Road

Lawrenceville, New Jersey 08648